
2019


EATHERB
WY

When my grandfather started making rifles, he was obsessed with bringing to market a product that was superior in both function and fashion. From exhibition grade walnut stocks to diamond inlays and gold embellishments, Roy Weatherby pushed the envelope of what a rifle could and should look like. Combining these features with the world's strongest action and ballistically superior cartridges, the Mark V® set the standard for what an American made bolt action rifle could feature.

Fast forward to today and you have the same drive and passion behind the products bearing the Weatherby name. Although an ornately decorated wood stocked rifle is still admired by many, we recognize that a large segment of today's avid hunters demand the latest in coatings, colors, camouflage, stock shape and durability that fit their specific needs for the terrain and weather they encounter. This is why we have teamed up with the premier brands in outdoor apparel to bring an assortment of rifles that truly lead the industry in offering both "function and fashion." As you browse our 2019 Product Showcase, I believe it will be a breath of fresh air for many from the standard selection of rifles we are accustomed to seeing in many gun shops today.

Perhaps one of the best received recent additions to the Weatherby line has been the addition of the Camilla; a rifle designed by women and built by Weatherby. Named after my grandmother, this rifle has now become the definition of what a women's rifle ought to look and feel like. With its growing popularity, we are pleased to announce that the Camilla is now available in two more Mark V® models, helping bring more options to today's female hunters and shooters.

Weatherby is committed to constantly refining our product line to offer our customers the latest features available. Whether partnering with the premier carbon fiber barrel maker in the world or offering the latest Cerakote options and camouflage patterns, we will continue our pursuit to inspire the dreams of hunters and shooters. After all, this is how it all began here at Weatherby and we don't intend for that to change.

Wishing you a great hunting season and safe shooting,

–Adam Weatherby
President and CEO



PRESIDENT & CEO

After announcing our move to Wyoming, we immediately started receiving requests for the first Mark V's stamped "Sheridan, WY". The demand for these new rifles served as the catalyst for the development of our Wyoming Commemorative. We saw this historic move to the Cowboy State as an opportunity to make a limited rifle set that would showcase the Weatherby quality and craftsmanship while boasting our new location at the foot of the Bighorn Mountains in beautiful Sheridan, Wyoming. Less than 1,000 Commemorative rifles will be available; our premium Gold Series starting with Serial Number WY000001. I truly believe these rifles will be a collector's piece that will be admired for generations to come.

- ADAM WEATHERBY









COMMEMORATIVE RIFLE OPTIONS

	Gold Edition MSRP $10,000	*Silver Edition* MSRP $6,500
CALIBER	*300 Weatherby*	*300 Weatherby*
CONTOUR/LENGTH	*#2 26IN*	*#2 26IN*
STOCK	*Exhibition Grade Fancy French Walnut*	*AAA Grade Fancy French Walnut*
OIL RUBBED FINISH	*Oil Rubbed Finish*	*Oil Rubbed Finish*
CUSTOM FINE LINE CHECKERING	*Custom Fine Line Checkering*	*Custom Fine Line Checkering*
EXOTIC WOOD FOREND	*Exotic Wood Forend*	*Exotic Wood Forend*
BOLT	*Damascened*	*Damascened*
BOLT KNOB	*Hand Checkered*	*Standard Bolt Knob*
FOLLOWER	*Damascened Aluminum Alloy*	*Damascened Aluminum Alloy*
RECEIVER	*Gold Engraved Scroll Work*	*Silver Engraved Scroll Work*
FLOOR PLATE	*Gold Lace Wyoming Bucking Horse & Rider*	*Silver Wyoming Bucking Horse & Rider*
RECOIL PAD	*Pachmayr® Decelerator Recoil Pad*	*Pachmayr® Decelerator Recoil Pad*
BARREL	*Gold & Silver Accent Rings*	*Standard*
FULLY WRAPPED LEATHER LOGO CASE	*Included*	*Not Included*

CONTENTS



03 INTRODUCTION

WYOMING COMMEMORATIVE 02

06 CUSTOM SHOP

MARK V® RIFLES 08

22 VANGUARD® RIFLES

SHOTGUNS 32
Orion®
Element®
SA-08™ & SA-459™

38 AMMUNITION
Ballistics Specs

ACCESSORIES 44

CUSTOM SHOP

PERFORMANCE AND CRAFTSMANSHIP

Building your own Weatherby custom rifle is a simple process. Choose the barreled action you would like to build upon, choose a stock to your specifications and finally choose the features you would like to add to the barreled action. Visit our Custom Shop Configurator at custom.weatherby.com

PERSONALIZATION





Personalize your existing Weatherby® rifle or create the rifle of your dreams by choosing from a variety of floorplate embellishments, as well as engraving your name on the bolt. Bolts and followers can also be damascened/jeweled to add a distinct and elegant look to the rifle. Visit the Weatherby Custom Shop at Weatherby.com for more information.

CUSTOM STOCK UPGRADES

Customize your Weatherby® rifle with a raised comb, Monte Carlo composite stock of aramid, graphite undirectional fibers, and fiberglass.

HAND-HONED ACTIONS

Surfaces of the action are honed to assure smooth operation of bolt and moving parts. Providing hand finished quality to meet expectations.

MAGAZINE OPTIONS

The Hinged Plus expands the capacity of your Mark V® rifle by one round. (Available in .257 Wby. Mag. through .460 Wby. Mag.) The Drop Box is completely detachable from the rifle.

AVAILABLE OPTIONS

Barreled Action
Choose from Vanguard, Mark V or Krieger barreled actions.

Caliber
Choose from a wide range of available calibers.

Stock
Select your style and color.

Metal Finish
Cerakote your rifle in one of the available colors or choose from the classic blued finish (matte or high gloss).

Bolt Knob
Customize your bolt knob configuration.

Magazine
Hinged, Hinged Plus, or Drop Box – you get to decide.

Muzzle Brake
Tame the recoil on your new rifle with our muzzle brake options.

Range Certified
Certified SUB-MOA Accuracy with a ballistic data sheet.

WEATHERBY® ACCUBRAKE™

All Weatherby® rifles are available with our Accubrake™ option (standard on .30-378, .338 Lapua, .338-378, .378, .416 and .460 models). By adding an Accubrake™ to your rifle you can significantly reduce felt recoil...up to 53 percent. That's nearly 10 percent more effective than our nearest competitor. Available for four different barrel diameters for a near perfect brake-to-barrel contour match. The brake in no way adversely affects velocity or accuracy, only felt recoil and muzzle jump. Constructed of heat-treated carbon steel or 416 Series stainless steel. Brakes are installed to match your rifle in high polish or matte blue finish or spun finish stainless steel.

LAPPING LOCKING LUGS

Weatherby® ensures that all lugs on the bolt make 95% or better contact with all the lugs in the receiver to get consistent lock up every time.

TRUING THE RECEIVER AND BOLT FACE


The receiver face is machined to ensure a flat and precise connection to the shoulder of the barrel. Perfect alignment is 90-degrees from the center line of the rifle. The bolt face is trued ensuring a perfectly flat surface for engagement with the cartridge base, at a perfect 90-degree angle from the center line of the rifle.

WEATHERBY® RANGE CERTIFIED™



Range Certified (RC) rifles are available in both Mark V® and Vanguard® models, certifying guaranteed SUB-MOA accuracy (3-shot group .99" or less at 100 yards from a cold barrel when using specified Weatherby® factory or premium ammunition). Each RC rifle is performance-tested in our state-of-the-art indoor range and comes with a ballistic data sheet from our Oehler® Research 83 Ballistic Imaging System. Weatherby® RC rifles take the meaning of "the most accurate production rifle you can buy" to a whole new level.

Each rifle that has earned the Range Certified designation comes with a printed data sheet from our Oehler® Ballistic Imaging System which includes specific load/ballistic data and a computer image of the actual 3-shot group measuring .99" or less. The sheet is signed and certified by Ed or Adam Weatherby. Each rifle also features a specially engraved floor plate with the RC logo.


COLOR
BARREL
BRAKE
BOLT
STOCK
CALIBER
CUSTOM.WEATHERBY.COM

MARK V® RIFLES

THE WORLD'S MOST PERFECT RIFLE

There's no single trait that makes a rifle "perfect". Every component has to work as a unit to create a nearly flawless shooting system under any condition.

The Mark V® stocks have been ergonomically enhanced with a slim forearm and sharp, more distinctive lines and contours. Optimal grip diameter, a slight palm swell, and overall light weight construction. The lighter weight results in increased comfort, control, quicker to the shoulder mounting, and faster target acquisition.

The LXX™ Trigger further enhances the shooting experience, offering the most intuitive and comfortable trigger available. The engagement surfaces are precision ground and polished. Overall tolerances refined. A new, wider trigger face increases trigger-to-finger contact, all for a more consistent and comfortable pull. Adjustable down to 2.5 lbs., the new LXX™ Trigger will amaze you with every single round fired.

The Mark V® rifles all come with our SUB-MOA accuracy guarantee. Our hand-lapped barrels ensure that the bullet's flight path will be true and consistent and when combined with the enhanced shooting experience of the Mark V®, it is the best rifle you will ever purchase. Now, no matter which Weatherby® rifle you choose, whether it's an Ultra Lightweight for sheep hunting in Alaska or an Accumark® for whitetails in Pennsylvania, you can trust every shot will be right on the money.

It's all about enhancing the shooter experience. The Mark V® has been redefined to maximize fit, feel, and performance, making it the best rifle on the planet.

COMMON FEATURES

GUARANTEED SUB-MOA ACCURACY

All Mark V® rifles are guaranteed to shoot a 3-shot group of .99" or less at 100 yards (SUB-MOA) from a cold barrel when used with Weatherby® factory or premium ammunition.



THE LXX™ TRIGGER

Match quality, single stage, adjustable for weight, factory set at 3.5 lbs, adjustable to 2.5 lbs. Wide face w/ flying W logo.




MAGNUM 9-LUG OR STANDARD 6-LUG ACTION

The Mark V® is built to handle powerful magnum loads. However, for those hunters who prefer non-magnum calibers, we offer the Mark V® standard 6-Lug action, accommodating up to .30-06.



MADE IN USA

Our Mark V® rifles are proudly made in our Sheridan, Wyoming facility. Our skilled craftsmen provide the exceptional quality and attention to detail you expect from such a legendary name.



OPTIMAL STOCK

Sharp contours, perfect wrist radius, slim forearm and slight palm swell combine for a more comfortable fit for a broader range of shooters.

INTEGRAL RECOIL LUG

One-piece forged and machined receiver features integral recoil lug for the utmost in strength and structural integrity.

OBERNDORF-STYLE

Inside the trigger bow floorplate latch to ensure a solid and secure lock-up.

HAND-LAPPED BARREL

Promotes dimensional bore uniformity, removes imperfections, reduces fouling, and improves accuracy.

54-DEGREE BOLT LIFT

The shortest in the industry. Allows faster chambering on follow-up shots and greater bolt-to-scope clearance to eliminate battered knuckles.




MARK V® CAMILLA ULTRA LIGHTWEIGHT

HUNTER: **BRENDA WEATHERBY** | WYOMING | MULE DEER | PUBLIC LAND



KEVIN WILKERSON | WEATHERBY MARKETING | IDAHO | MULE DEER | PUBLIC LAND

MARK V® Subalpine



SITKA SUBALPINE PATTERN

Features

- SUB-MOA accuracy guarantee
- Standard version weighs 5 ¾ pounds
  Magnum version weighs 6 ¾ pounds
- Range Certified
- Gore™ Optifade™ Subalpine camo

Barrel

- Fluted stainless steel
- Hand-lapped
- Recessed target crown
- #1 Mod / #2 Mod contour
- Available in 22" and 26" barrel lengths. 28" (OAL with Accubrake)
- Flat Dark Earth Cerakote® finish for exceptional weather and corrosion resistance.

Specs

- Magnum 9-Lug or Standard 6-Lug Action
- Uses state of the art lightweight components without sacrificing structural integrity
- Length of Pull 13 5/8"

AVAILABLE CALIBERS

	NON-RC	RC
.257 WBY MAG.	MSAM257WR6O	MSAM257WRR6O
6.5 CREEDMOOR	MSAS65CMR2O	MSAS65CMRR2O
6.5-300 WBY. MAG.	MSAM653WR8B*	MSAM653WRR8B*
.270 WBY. MAG.	MSAM27OWR6O	MSAM27OWRR6O
.300 WBY. MAG.	MSAM3OOWR8B*	MSAM3OOWRR8B*

Other calibers offered through Weatherby Custom Shop

No Brake | Brake

MSRP: $2,700 | $2,900

RC MSRP: $3,200 | $3,400

**Accubrake Included*

MARK V® Altitude / Altitude RC



KRYPTEK® ALTITUDE™ PATTERN

Features
- Hand-laid, raised comb Monte Carlo composite stock decorated in Kryptek® Altitude™ camo
- The Altitude® collection is ultimately designed for alpine (above tree line) environments where conditions are extreme, changing quickly and often.

Barrel
- Tungsten color Cerakote® finish for exceptional weather and corrosion resistance
- #1 Mod / #2 Mod contour
- Available in 22", 24" and 26" barrel lengths. 28" (OAL with Accubrake)

Specs
- 6-Lug version weighs 5 ¾ pounds; 9-Lug magnum weighs 6 ¾ pounds
- Uses state of the art lightweight components without sacrificing structural integrity
- Length of Pull 13 5/8"

AVAILABLE CALIBERS

	NON-RC	RC
.240 WBY. MAG.	MALS240WR40	N/A
.257 WBY. MAG.	MALM257WR60	MACM257WR60
6.5 CREEDMOOR	MALS65CMR20	MACS65CMR20
6.5-300 WBY. MAG.	MALM653WR8B*	MACM653WR8B*
.270 WIN.	MALS270NR20	N/A
.270 WBY. MAG.	MALM270WR60	MACM270WR60
.308 WIN.	MALS308NR20	N/A
.30-06 SPRG.	MALS306SR20	N/A
.300 WBY. MAG.	MALM300WR8B*	MACM300WR8B*

No Brake | Brake
MSRP: $3,000 | $3,200
RC MSRP: $3,500 | $3,700
Accubrake Installed

RC MODELS INCLUDE:
-Range Certified with guaranteed SUB-MOA accuracy
-Comes with printout from Oehler® Ballistic Imaging System, including specific load/ballistic data and computer image of actual 3-shot group. Signed and certified by Ed or Adam Weatherby
-Range Certified engraved floorplate

MARK V® Ultra Lightweight



LIGHTWEIGHT PRECISION

Features
- Hand-laid, raised comb Monte Carlo composite stock with matte gel coat finish and spiderweb accents

Barrel
- Hand-lapped blackened, fluted barrel with recessed target crown
- #1 Mon / #2 Mod contour
- Available in 22", 24" and 26" barrel lengths. 28" (OAL with Accubrake)

Specs
- 6-Lug version weighs 5 ¾ pounds; 9-Lug magnum weighs 6 ¾ pounds
- Stainless Steel Bolt Body
- Length of Pull 13 5/8"

AVAILABLE CALIBERS

.240 WBY. MAG.	MUTS240WR40	7MM REM. MAG.	MUTM7MMRR40
.257 WBY. MAG.	MUTM257WR60	7MM WBY. MAG.	MUTM7MMWR60
6.5 CREEDMOOR	MUTS65CMR20	.308 WIN.	MUTS308NR20
6.5-300 WBY. MAG.	MUTM653WR8B*	.30-06 SPRG.	MUTS306SR20
.270 WIN.	MUTS270NR20	.300 WIN. MAG.	MUTM300NR40
.270 WBY. MAG.	MUTM270WR60	.300 WBY. MAG.	MUTM300WR8B*
LEFT-HANDED ACTION (ADD $100)			
.257 WBY. MAG.	MUTM257WL60	6.5-300 WBY. MAG.	MUTM653WL8B*
.300 WBY. MAG.	MUTM300WL8B*		

No Brake | Brake
MSRP: $2,300 | $2,400
Accubrake Installed

MARK V® Outfitter FDE/Outfitter FDE RC



FLAT DARK EARTH CERAKOTE® FINISH

Features
- Hand-laid, raised comb Monte Carlo composite stock with matte gel coat finish, spiderweb accents, and color accents.
- High Desert camo stock

Barrel
- Flat Dark Earth Cerakote® finish for exceptional weather and corrosion resistance
- #1 Mon / #2 Mod contour
- Available in 22", 24" and 26" barrel lengths. 28" (OAL with Accubrake)

Specs
- 6-Lug version weighs 5 3/4 pounds; 9-Lug magnum weighs 6 3/4 pounds
- Uses state of the art lightweight components without sacrificing structural integrity
- Length of Pull 13 5/8"

AVAILABLE CALIBERS

	NON-RC	RC
.240 WBY. MAG.	MODS240WR40	N/A
.257 WBY. MAG.	MODM257WR60	MORM257WR60
6.5 CREEDMOOR	MODS65CMR20	MORS65CMR20
6.5-300 WBY. MAG.	MODM653WR8B*	MORM653WR8B*
.270 WIN.	MODS270NR20	N/A
.270 WBY. MAG.	MODM270WR60	MORM270WR60
7MM WBY. MAG.	MODM7MMWR60	MORM7MMWR60
.308 WIN.	MODS308NR20	N/A
.30-06 SPRG.	MODS306SR20	N/A
.300 WBY. MAG.	MODM300WR8B*	MORM300WR8B*

No Brake | Brake
MSRP: $2,800 | $3,000
RC MSRP: $3,300 | $3,500
Accubrake Installed

MARK V® First Lite



FIRST LITE FUSION CAMO

Features
- Hand-laid, raised comb Monte Carlo composite stock decorated in First Lite Fusion camo
- First Lite Fusion uses proprietary pattern technology which provides equally exceptional concealment at close range and a distance - whether in the trees or on the ground

Barrel
- Flat Dark Earth Cerakote® finish for exceptional weather and corrosion resistance
- #3 contour
- Available in 24" and 26" barrel lengths

Specs
- Standard version weighs 7 ¼ pounds
  Magnum version weighs 8 ¼ pounds
- 3+1 Magazine Capacity
  6.5 Creedmoor: 4+1 Magazine Capacity
- Length of Pull 13 ⅝"

AVAILABLE CALIBERS

	NON-RC	RC
.257 WBY. MAG.	MFLM257WR60	MFLM257WRR60
6.5 CREEDMOOR	MFLS65CMR40	MFLS65CMRR40
6.5-300 WBY. MAG.	MFLM653WR60	MFLM653WRR60
.270 WBY. MAG.	MFLM270WR60	MFLM270WRR60
.300 WBY. MAG.	MFLM300WR60	MFLM300WRR60

Other calibers offered through Weatherby Custom Shop

MSRP: $2,600
RC MSRP: $3,100

RC MODELS INCLUDE:
- *Range Certified with guaranteed SUB-MOA accuracy*
- *Comes with printout from Oehler® Ballistic Imaging System, including specific load/ballistic data and computer image of actual 3-shot group. Signed and certified by Ed or Adam Weatherby*
- *Range Certified engraved floorplate*

MARK V® Accumark® /Accumark RC®



LONG RANGE PERFORMANCE

Features
- Hand-laid, raised comb Monte Carlo composite stock with matte gel coat finish and spiderweb accents
- Classic Weatherby style and caliber selections, the Accumark® provides extreme accuracy and rugged dependability.

Barrel
- #3 contour, fluted, stainless steel barrel with recessed target crown
- Available in 22", 24" and 26" barrel lengths. 28" (OAL with Accubrake)
- .338 LAPUA features matte bead blasted blued finish and a Chrome Moly barrel with matching Accubrake™

Specs
- Standard version weighs 7 ¼ pounds
  Magnum version weighs 8 ¼ pounds
  .30-378 WBY weighs 8 ½ pounds
- Length of Pull 13 ⅝"

AVAILABLE CALIBERS

.240 WBY. MAG.	MAMS240WR40^	.308 WIN.	MAMS308NR40
.257 WBY. MAG.	MAMM257WR60^	.30-06 SPRG.	MAMS306SR40
6.5 CREEDMOOR	MAMS65CMR40^	.300 WIN. MAG.	MAMM300NR60^
6.5-300 WBY. MAG.	MAMM653WR60^	.300 WBY. MAG.	MAMM300WR60^
.270 WIN.	MAMS270NR40	.30-378 WBY. MAG.	MAMM303WR8B*^
.270 WBY. MAG.	MAMM270WR60^	.338 LAPUA MAG.	MAMM338LR8B*^
7MM REM. MAG.	MAMM7MMRR60	.338-378 WBY. MAG.	MAMM333WR8B*^
7MM WBY. MAG.	MAMM7MMWR60^	.340 WBY. MAG.	MAMM340WR60
LEFT-HANDED ACTION (ADD $100)			
.257 WBY. MAG.	MAMM257WL60	.30-378 WBY. MAG.	MAMM303WL8B*
.300 WBY. MAG.	MAMM300WL60	6.5-300 WBY. MAG.	MAMM653WL60

No Brake | Brake
MSRP: $2,300 | $2,600
RC MSRP: $2,800 | $3,100
*^Range Certified *Accubrake Installed*

MARK V® KCR / KCR RC *(Krieger Custom Rifle)*



KRIEGER BARREL PRECISION

Features
- Hand-laid, raised comb Monte Carlo composite stock with matte gel coat finish

All KCR barrels use the single-point cut-rifling process. Removing approximately .0001 inch, or 1 ten-thousandth of an inch, at each pass, thus taking several hundred passes to rifle a barrel. This method produces almost perfect concentricity between bore and groove, a very uniform twist rate, and induces no stress into the steel.

Barrel
- Cryogenically stress relieved, match grade, free-floated, and fluted Krieger Custom Barrel
- #3 contour barrel with recessed target crown
- Flat Dark Earth and Graphite Black dual Cerakote® finish for exceptional weather and corrosion resistance

Specs
- Oversize bolt knob for added leverage and ease of cycling
- Pachmayr® Decelerator® recoil pad
- Accubrake™ reduces felt recoil by up to 50%
- KCR engraved floorplate



AVAILABLE CALIBERS

	NON-RC	RC
.257 WBY. MAG.	MKCM257WR8B*	MKRM257WR8B*
6.5-300 WBY. MAG.	MKCM653WR8B*	MKRM653WR8B*
.300 WBY. MAG.	MKCM300WR8B*	MKRM300WR8B*
.30-378 WBY MAG.	MKCM303WR8B*	MKRM303WR8B*

MSRP: $3,600
RC MSRP: $4,100
**Accubrake Installed*



MARK V® FIRST LITE

ADAM WEATHERBY | ALASKA | MOOSE | PUBLIC LAND

The Mark V CarbonMark is a custom built, stunningly-precise collaboration with Proof Research. This carbon barrel is 64% lighter than traditional steel barrels of the same contour. The aerospace-grade carbon fiber has a specific strength up to 30 times that of stainless steel and a specific stiffness up to 7 times greater than steel. This creates an incredibly strong barrel that dissipates heat very well and provides consistent accuracy with high shot counts. This rifle would be a great choice for someone looking for a long-range rifle but wants to shed the weight of a traditional bull barrel so hunting in the backcountry is still possible. The 5/8x24 threaded barrel accepts a muzzlebrake or suppressor to increase your shooting experience. If you are looking for a combination of breakthrough rifle performance and rugged reliability this rifle should already be in your gun safe!

AVAILABLE CALIBERS	
.257 WBY. MAG.	MCMM257WR6O
.300 WBY. MAG.	MCMM300WR6O

MSRP: **$4,100**

Features

- *SUB-MOA accuracy guarantee**
- *LXX Trigger*
- *Fluted Bolt Body*
- *54-Degree Bolt Lift*
- *Integral Recoil Lug*
- *Cocking Indicator*
- *Magnum 9-Lug Action*
- *Weighs 7 3/4 pounds*

Barrel

- *26" Proof Research carbon-fiber barrel*
- *416R grade stainless steel core in #4 contour*
- *Cut rifled*
- *Hand-lapped*
- *5/8x24 threaded muzzle with flush thread cap*
- *Tactical Grey Cerakote® finish*

Stock

- *Hand-laid, raised comb Monte Carlo composite stock*
- *Stock features a slim forearm with distinctive lines and contours*
- *Optimal grip diameter for control and comfort with or without gloves*
- *Slight right-hand palm swell*
- *Full length aluminum bedding block*
- *Matte gel coat finish*

**.99" or less 3-shot group at 100 yards when used with Weatherby® factory or premium ammunition*







MAGNUM 9-LUG OR STANDARD 6-LUG

The Mark V® is built to withstand the pounding of powerful magnum loads. However, for those hunters who prefer non-magnum calibers, we offer the Mark V® standard 6-Lug action, accommodating up to .30-06 length cartridges including the .240 Wby. Mag.

Utilizing the same one-piece forged receiver design, our standard 6-Lug action is dimensionally smaller and weighs 28% less than its magnum 9-Lug counterpart providing lighter overall weight without sacrificing an ounce of strength or structural integrity.

MARK V® | Weathermark™



CERAKOTE® PROTECTION

Features

- *Hand-laid, raised comb Monte Carlo composite stock with matte gel coat finish and spiderweb accents*
- *The Weathermark is the perfect solution for someone wanting reliability and classic Mark V quality. The Cerakote® finish provides durable corrosion resistance in the harshest environments*

Barrel

- *#1 / #2 / #3 contour*
- *Available in 24" and 26" barrel lengths*
- *Tactical Grey Cerakote® finish for exceptional weather and corrosion resistance*

Specs

- *Standard version weighs 6 ¼ pounds*
  Magnum version weighs 7 ¾ pounds
  .375 H&H weighs 8 pounds
- *Length of Pull 13 ⅝"*

AVAILABLE CALIBERS

.240 WBY. MAG.	MWMS240WR4O
.257 WBY. MAG.	MWMM257WR6O
6.5 CREEDMOOR	MWMS65CMR4O
6.5-300 WBY. MAG.	MWMM653WR6O
.270 WIN.	MWMS270NR4O
.270 WBY. MAG.	MWMM270WR6O
7MM REM. MAG.	MWMM7MMRR4O
.308 WIN.	MWMS308NR4O
.30-06 SPRG.	MWMS306SR4O
.300 WIN. MAG.	MWMM300NR4O
.300 WBY. MAG.	MWMM300WR6O
.340 WBY. MAG.	MWMM340WR6O
.375 H&H MAG.	MWMM375HR4O

MSRP: $1,700

MARK V® Camilla Ultra Lightweight



ULTRA LIGHTWEIGHT

Features
- Stock designed by a group of women hunters & shooters to properly fit a woman's form
- Forest Green with black gel coat webbing
- Short, slim forearm and grip with right side palm swell
- Full length aluminum bedding block
- Pachmayr® Decelerator recoil pad

Barrel
- Fluted stainless steel
- #1 contour
- 24" barrel length
- Stainless Steel Barrel & Bolt Body

Specs
- Standard 6-Lug Action
- Weighs 5 ¾ pounds
- Length of Pull 13"
- SUB-MOA accuracy guarantee

AVAILABLE CALIBERS

.240 WBY. MAG	MCUS240WR40
.270 WIN.	MCUS270NR40
6.5 CREEDMOOR	MCUS65CMR40
.308 WIN.	MCUS308NR40
.30-06 SPRG.	MCUS306SR40

MSRP: $2,300

MARK V® Camilla Subalpine



GORE™ OPTIFADE™ SUBALPINE CAMO

Features
- Stock designed by a group of women hunters & shooters to properly fit a woman's form
- Hand-laid, raised comb Monte Carlo composite stock
- Short, slim forearm and grip with right side palm swell
- Slight trigger finger groove for encahnced ergonomics
- Full length aluminum bedding block
- Pachmayr® Decelerator recoil pad

Barrel
- Hand-lapped chrome-moly barrel with field crown
- #1 contour
- Available in 24" barrel length
- Flat Dark Earth Cerakote® finish for exceptional weather and corrosion resistance.

Specs
- Standard 6-Lug Action
- Weighs 5 ¾ pounds
- Length of Pull 13"
- SUB-MOA accuracy guarantee

AVAILABLE CALIBERS

.240 WBY. MAG	MCAS240WR40
.270 WIN.	MCAS270NR20
6.5 CREEDMOOR	MCAS65CMR20
.308 WIN.	MCAS308NR20
.30-06 SPRG.	MCAS306SR20

MSRP: $2,700

MARK V® Camilla Deluxe



CLASSIC FEEL NEW DESIGN

Features
- Ergonomically designed, aluminum pillar bedded, "AA" fancy grade, Claro walnut, Monte Carlo stock with fineline, diamond point, Fleur-de-lis checkering, exotic hardwood forend and grip cap with maplewood spacers
- Stock designed by a group of women hunters & shooters to properly fit a woman's form

Barrel
- Hand-lapped chrome-moly barrel with field crown
- Blued metalwork in high lustre finish

Specs
- Standard 6-Lug Action
- Weighs 5 ¾ pounds
- Length of Pull 13"
- SUB-MOA accuracy guarantee

AVAILABLE CALIBERS

.240 WBY. MAG.	MCDS240WR40
.270 WIN.	MCDS270NR40
6.5 CREEDMOOR	MCDS65CMR40
.308 WIN.	MCDS308NR40
.30-06 SPRG.	MCDS306SR40

MSRP: $2,700



MARK V® CAMILLA ULTRA LIGHTWEIGHT

BRENDA WEATHERBY | WYOMING | MULE DEER | PUBLIC LAND



MARK V® DELUXE

ED WEATHERBY & ADAM WEATHERBY | KANSAS | WHITETAIL

MARK V® Deluxe



CLASSIC WEATHERBY®

Stock
- New ergonomically designed, aluminum pillar bedded, "AA" fancy grade, Claro walnut, Monte Carlo stock with right side palm swell (French walnut on .460 Wby. Mag model)
- Fineline, diamond point checkering, exotic hardwood forend and grip cap with maplewood spacers

Barrel
- Hand-lapped chrome-moly barrel with field crown
- Blued metalwork in high lustre finish

Features
- Pachmayr® Decelerator® recoil pad
- Accubrake™ comes standard on .378, .416 and .460 Wby. Mag models

AVAILABLE CALIBERS

.240 WBY. MAG.	MDXS240WR4O	.308 WIN.	MDXS308NR4O
.257 WBY. MAG.	MDXM257WR6O	.30-06 SPRG.	MDXS306SR4O
6.5 CREEDMOOR	MDXS65CMR4O	.300 WBY. MAG.	MDXM300WR6O
6.5-300 WBY	MDXM653WR6O	.340 WBY. MAG.	MDXM340WR6O
.270 WIN.	MDXS270NR4O	.378 WBY. MAG.	MDXM378WR8B*
.270 WBY. MAG.	MDXM270WR6O	.416 WBY. MAG.	MDXM416WR8B*
7MM WBY. MAG.	MDXM7MMWR6O	.460 WBY. MAG.	MDXM460WR8**

MSRP: $2,700

w/ AccuBrake™ MSRP: $3,100* | $3,600**

MARK V® Lazermark



5-PANEL LASER ENGRAVING

Features
- Ergonomically designed, aluminum pillar bedded, hand selected, Claro walnut, raised comb Monte Carlo stock with 5-panel laser-carved oak leaf pattern
- Exotic hardwood forend and grip cap with maplewood spacers
- Pachmayr® Decelerator® recoil pad

Barrel
- Blued metalwork in high lustre finish
- Hand-lapped chrome-moly barrel with field crown
- #2 contour
- Available in 26" barrel length

Specs
- Magnum version weighs 8 pounds
- 3+1 Magazine Capacity
- Length of Pull 13 ⅝"
- Other chamberings available through the Weatherby Custom Shop

AVAILABLE CALIBERS

.257 WBY. MAG.	MLMM257WR6O
.270 WIN.	MLMM270WR6O
.300 WBY. MAG.	MLMM300WR6O
6.5-300 WBY. MAG.	MLMM653WR6O

MSRP: $2,800

MARK V® Sporter



AFFORDABLE BEAUTY

Features
- Ergonomically designed, aluminum pillar bedded, raised comb Monte Carlo, Claro walnut stock with semi-gloss finish
- Fineline, diamond point checkering and exotic hardwood forend and grip cap
- Pachmayr® Decelerator® recoil pad

Barrel
- Metalwork is bead blasted matte blue
- Hand-lapped chrome-moly barrel with field crown
- #2 contour
- Available in 24" and 26" barrel lengths

Specs
- Magnum version weighs 8 pounds
- 3+1 Magazine Capacity
- Length of Pull 13 ⅝"
- Other chamberings available through the Weatherby Custom Shop

AVAILABLE CALIBERS

.257 WBY. MAG.	MSPM257WR6O
.270 WBY. MAG.	MSPM270WR6O
7MM REM. MAG.	MSPM7MMWR6O
.300 WIN. MAG.	MSPM300NR4O
.300 WBY. MAG.	MSPM300WR6O

MSRP: $1,800



ED WEATHERBY & ROY WEATHERBY

MARK V® | Safari



READY FOR AFRICA

Features

- "AAA" fancy French walnut Monte Carlo stock with satin oil finish
- Features ebony forend and pistol grip cap with hand-cut Fleur-de-lis checkering
- Damascened bolt and follower with engraved steel floorplate "Safari Custom"
- Classic adjustable rear site

Barrel

- Hand-lapped chrome-moly barrel with field crown
- #2 / #3 / #4 contour
- Available in 24" and 26" barrel lengths. 28" (OAL with Accubrake)

Specs

- Weighs 8 ¾ - 10 pounds
- Accubrake™ comes standard on .378, .416 and .460 Wby. Mag models
- Length of Pull 13 ¾"
- Available in left-hand configuration

AVAILABLE CALIBERS	
.257 WBY. MAG.	MSFM257WR6O
.270 WIN.	MSFM270WR6O
7MM WBY. MAG.	MSFM7MMWR6O
.300 WBY. MAG.	MSFM300WR6O
.340 WBY. MAG.	MSFM340WR6O
.375 H&H	MSFM375HR4O
.375 WBY. MAG.	MSFM375WR4O
.378 WBY. MAG.	MSFM378WR8B*
.416 WBY. MAG.	MSFM416WR8B*
.460 WBY MAG.	MSFM460WR8B*^

MSRP: $6,900
MSRP: $7,200* | $7,300*^
**Accubrake Installed*

MARK V® DGR *(Dangerous Game Rifle)*



UNBEATABLE POWER

Features
- Hand-laid, raised comb Monte Carlo composite stock with matte gel coat finish and black spiderweb accents
- Barrel band with swivel stud
- Classic adjustable rear site
- Hinged +1 Magazine

Barrel
- Hand-lapped, button-rifled chrome-moly barrel
- Recessed target crown
- #2 / #3 / #4 contour
- Available in 24" length. 26" (OAL with Accubrake)

Specs
- Weighs 8 ¾ - 9 ½ pounds
- Accubrake™ comes standard on .378, .416 and .460 Wby. Mag models
- Length of Pull 13 ⅝"

AVAILABLE CALIBERS

.300 WBY. MAG.	MDGM300WR4O
.340 WBY. MAG.	MDGM340WR4O
.375 H&H	MDGM375HR4O
.375 WBY. MAG.	MDGM375WR4O
.378 WBY. MAG.	MDGM378WR6B*
.416 WBY. MAG.	MDGM416WR6B*
.460 WBY. MAG.	MDGM460WR6B*^

MSRP: $3,600
MSRP: $3,800* | $4,000*^
**Accubrake Installed*

MARK V® Tacmark™



EXTREME ACCURACY

Features
- Fully adjustable stock with CNC-machined aluminum bedding plate
- Detachable box magazine 5 round

Barrel
- Hand-lapped, free-floated, fluted barrel
- .338 LAPUA features a Chrome Moly barrel
- #3 contour
- Available in 28" barrel length

Specs
- Weighs 11 ¼ pounds
- Adjustable Length of Pull

AVAILABLE CALIBERS

6.5-300 WBY. MAG.	MTCM653WR8B*
.300 WBY. MAG.	MTCM300WR8B*
.30-378 WBY. MAG.	MTCM303WR8B*
.338 LAPUA MAG.	MTCM338LR8B*
.338-378 WBY. MAG.	MTCM333WR8B*

MSRP: $4,100*
**Accubrake Installed*

MARK V® Tacmark™ Elite



SURGICAL PRECISION

Features
- Fully adjustable stock with CNC-machined aluminum bedding plate
- Detachable box magazine
- DD Ross tactical bolt knob
- Muzzle brake has 90° lateral gas dispersion ports

Barrel
- Cryogenically stress relieved, match grade, free-floated, and fluted Krieger Custom Barrel
- #3 contour
- Available in 28" barrel length

All KCR barrels use the single-point cut-rifling process. Removing approximately .0001 inch, or 1 ten-thousandth of an inch, at each pass, thus taking several hundred passes to rifle a barrel. This method produces almost perfect concentricity between bore and groove, a very uniform twist rate, and induces no stress into the steel.

Specs
- Receiver face and bolt face have been trued, perfecting fit and alignment for improved accuracy
- Hand-lapped action to assure 100% lug contact with the receiver
- Weighs 11 ½ pounds
- Adjustable Length of Pull

AVAILABLE CALIBERS

6.5-300 WBY. MAG.	MTRM653WR8B*
.300 WBY. MAG.	MTRM300WR8B*
.30-378 WBY. MAG.	MTRM303WR8B*
.338 LAPUA MAG.	MTRM338LR8B*
.338-378 WBY. MAG.	MTRM333WR8B*

MSRP: $6,200*
**Accubrake Installed*

RC MODELS INCLUDE:
-Range Certified with guaranteed SUB-MOA accuracy
-Comes with printout from Oehler® Ballistic Imaging System, including specific load/ballistic data and computer image of actual 3-shot group. Signed and certified by Ed or Adam Weatherby

see page 31 for Vanguard custom rifles

EXCEPTIONAL PERFORMANCE IS STANDARD

The fastest, flattest shooting rifles on the market. Delivering the unmatched knockdown power of both Weatherby® Magnum and standard calibers. Providing the confidence of guaranteed SUB-MOA accuracy. Add in a match quality, two-stage trigger that breaks crisp and clean. Offered in a choice of traditional wood or a variety of lightweight and durable composite stock designs. That's why the Vanguard® has become one of the most popular rifle options available. Shoulder a Weatherby® Vanguard® and see for yourself... it's the best rifle value on the market today.

COMMON FEATURES

INTEGRAL RECOIL LUG
One-piece machined receiver features integral recoil lug for the utmost in strength and structural integrity.

VANGUARD® RECOIL PAD
All Vanguard® rifles feature a specially-fit, low density recoil pad. This technologically superior material significantly reduces felt recoil.

MATCH QUALITY, TWO-STAGE TRIGGER
"Creep free" for consistent let-off. Each trigger is hand-honed, factory-tuned and inspected for a clean, crisp break, and fully adjustable down to 2.5 lbs. Every feature has been enhanced to improve shooter accuracy.

GUARANTEED SUB-MOA ACCURACY
All Weatherby® Vanguard® rifles are guaranteed to shoot a 3-shot group of .99" or less at 100 yards (SUB-MOA) from a cold barrel when used with Weatherby® factory or premium ammunition.



HINGED FLOORPLATE
One-piece trigger guard with hinged floorplate provides easy access to unfired cartridges in the magazine.

3-POSITION SAFETY
Middle position allows shooter to work the action while safety is still engaged.

COLD HAMMER FORGED BARREL
Maximizes consistency and produces SUB-MOA Guaranteed Accuracy when used with premium factory ammunition.

FULLY ENCLOSED BOLT SLEEVE
Redirects high-pressure gases and brass particles in the event of a case rupture or pierced primer. Shorter bolt sleeve helps to reduce overall weight.

FLUTED BOLT BODY
Longitudinal flutes reduce weight and bearing surface area, while eliminating binding for smooth action. Three gas ports allow high-pressure gases to escape laterally in the event of an accidental case rupture.



VANGUARD® BADLANDS

RALEIGH WHALEN | WEATHERBY SALES | WYOMING | WHITETAIL

VANGUARD | Badlands

The Vanguard Badlands is the first production rifle to appear in the popular Badlands Approach® camo. The Approach pattern uses adaptive coloration to construct a neutral color palette that adapts to your surroundings and lighting conditions. It also contains multi-layers visual confusion to ensure that the eye cannot detect where one shape ends and another begins. The #2 contour barrel provides superior accuracy, while the Approach® pattern gives an ultimate advantage to the hunter during his time afield.

AVAILABLE CALIBERS

.25-06 REM.	VAP256RR40	7MM REM. MAG.	VAP7MMRR60
.257 WBY. MAG.	VAP257WR60	.308 WIN.	VAP308NR40
6.5 CREEDMOOR	VAP65CMR40	.30-06 SPRG.	VAP306SR40
6.5-300 WBY. MAG.	VAP653WR60	.300 WIN. MAG.	VAP300NR60
.270 WIN.	VAP270NR40	.300 WBY. MAG.	VAP300WR60
7MM-08 REM.	VAP7M8RR40		

MSRP: $849

Stock

- *Monte Carlo stock features textured forearm and grip areas*
- *Polymer Stock*
- *Badlands Approach® camo*

Barrel

- *#2 Contour Barrel*
- *Barrel length is 26" for magnum chamberings & 24" for non-magnum and 240 Wby Mag*
- *Burnt Bronze Cerakote® finish for exceptional weather and corrosion resistance.*

Features

- *SUB-MOA accuracy guarantee (.99" or less 3-shot group at 100 yards when used with Weatherby® factory or premium ammunition)*
- *Adjustable Match Quality, Two-stage Trigger*
- *Fluted Bolt Body*
- *One-piece Machined Bolt Body*
- *Fully Enclosed Bolt Sleeve*
- *Vanguard Recoil Pad*
- *3-Position Safety*
- *Cold Hammer Forged Barrel*
- *Integral Recoil Lug*
- *Hinged Floorplate*
- *Weighs 7 1/2 pounds*

VANGUARD® Synthetic / *(Synthetic DBM*)*



CLASSIC PERFORMANCE

Features
- *Monte Carlo Griptonite® stock features textured pistol grip and forend inserts which aids in shooting comfort and control*
- *.375 H&H Mag. features adjustable iron sights with hooded front sight*
- *Optional detachable box magazine* available in .240 Wby., .25-06 Rem., .270 Win., and .30-06 Sprg.*



Barrel
- *#2 / #2.5 contour*
- *Available in 24" and 26" barrel lengths*
- *Bead blasted, matte blued finish*

Specs
- *Weighs 7 ¼ - 8 pounds*
- *Magazine Capacity 3+1 / 5+1 / DBM 3+1*
- *Length of Pull 13 ½"*

AVAILABLE CALIBERS

.223 REM.	VGT223RR40	.270 WIN.	VGT270NR40
.22-250 REM.	VGT222RR40	.270 WIN.	VGTD270NR40*
.243 WIN.	VGT243NR40	7MM-08 REM.	VGT7M8RR40
.240 WBY. MAG.	VGT240WR40	7MM REM. MAG.	VGT7MMRR60
.240 WBY. MAG.	VGTD240WR40*	.308 WIN.	VGT308NR40
.25-06 REM.	VGT256RR40	.30-06 SPRG.	VGT306SR40
.25-06 REM.	VGTD256RR40*	.30-06 SPRG.	VGTD306SR40*
.257 WBY. MAG.	VGT257WR60	.300 WIN. MAG.	VGT300NR60
6.5 CREEDMOOR	VGT65CMR40	.300 WBY. MAG.	VGT300WR60
6.5-300 WBY.MAG.	VGT653WR60	.375 H&H	VGT375HR40S

MSRP: $649

MSRP: $799 (.375 H&H)

**Detachable magazine reduces rifle's overall weight by 1/4 pound, as compared to standard hinged bottom metal*

VANGUARD® Stainless Synthetic



STAINLESS CONSTRUCTION

Features
- *Monte Carlo Griptonite® stock features textured pistol grip and forend inserts which aids in shooting comfort and control*

Barrel
- *#2 contour*
- *Available in 24" and 26" barrel lengths*
- *410 Series stainless steel, bead blasted matte finish*

Specs
- *Weighs 7 ½ pounds*
- *Magazine Capacity 3+1 and 5+1*
- *Length of Pull 13 ½"*

AVAILABLE CALIBERS

.243 WIN.	VGS243NR40
.257 WBY. MAG.	VGS257WR60
.270 WIN.	VGS270NR40
7MM REM. MAG.	VGS7MMRR60
.308 WIN.	VGS308NR40
.30-06 SPRG.	VGS306SR40
.300 WIN. MAG.	VGS300NR60
.300 WBY. MAG.	VGS300WR60

MSRP: $799

VANGUARD® Synthetic Compact



ADJUSTABLE FIT

Features
- *Injection-molded composite stock*
- *Adjustable length of pull with stock spacer (included) for those who want the benefit of a more compact firearm*
- *Stock is easily adjustable for shooters of smaller stature or can be adjusted to grow with younger shooters*

Barrel
- *#1 contour barrel*
- *Available in 20" barrel length*
- *Bead blasted, matte blued finish*

Specs
- *Weighs 6 ½ pounds*
- *Magazine Capacity 5+1 and 4+1 (6.5 Creemoor)*
- *Length of Pull Adjustable from 12 ½" - 13 ⅝"*

AVAILABLE CALIBERS

.243 WIN.	VYT243NR00
6.5 CREEDMOOR	VYT65CMR00
7MM-08 REM.	VYT7M8RR00
.308 WIN.	VYT308NR00

MSRP: $599

VANGUARD® First Lite



FIRST LITE FUSION CAMO

Features
- Monte Carlo stock features pistol grip and forend inserts
- Polymer Stock
- First Lite Fusion Camo
- The innovative First Lite Fusion pattern is a proprietray mix of "crackalature" shapes and colors derived through nature-based algorithms and oriented for macro and micro distribution.



Barrel
- #2 contour, fluted barrel
- Accubrake included
- Barrel length is 26" (28" OAL with Accubrake) for magnum chamberings & 24" (26" OAL with Accubrake) for non-magnum and 240 Wby Mag
- Flat Dark Earth Cerakote® finish for exceptional weather and corrosion resistance.

Specs
- Short action weighs 7 pounds Long action weighs 7 ¼ pounds
- Length of Pull 13 ½"

AVAILABLE CALIBERS

.240 WBY. MAG.	VFN240WR6B*
.257 WBY. MAG	VFN257WR8B*
.25-06 REM.	VFN256RR6B*
6.5 CREEDMOOR	VFN65CMR6B*
6.5-300 WBY. MAG.	VFN653WR8B*
.270 WIN.	VFN270NR6B*
.308 WIN.	VFN308NR6B*
.30-06 SPRG.	VFN306SR6B*
.300 WIN. MAG.	VFN300NR8B*
.300 WBY. MAG.	VFN300WR8B*

MSRP: $1,099

*Accubrake installed

VANGUARD® Select



BEST VALUE

Features
- Monte Carlo stock features pistol grip and forend inserts
- Polymer Stock

Barrel
- #2 contour
- Available in 24" and 26" barrel lengths
- Bead blasted, matte blued finish

Specs
- Weighs 7 ½ pounds
- Length of Pull 13 ½"

AVAILABLE CALIBERS

.243 WIN.	VSE243NR4O
6.5 CREEDMOOR	VSE65CMR4O
.270 WIN.	VSE270NR4O
7MM REM. MAG.	VSE7MMRR6O
.308 WIN.	VSE308NR4O
.30-06 SPRG.	VSE306SR4O
.300 WIN. MAG.	VSE300NR6O

MSRP: $599

VANGUARD® Weatherguard™/ (Weatherguard™ DBM*)



CERAKOTE® PROTECTION

Features
- Monte Carlo Griptonite® stock features textured pistol grip and forend inserts which aids in shooting comfort and control
- Optional detachable box magazine* available in .240 Wby., .25-06 Rem., .270 Win., and .30-06 Sprg.



Barrel
- #2 contour
- Available in 24" and 26" barrel lengths
- Tactical Grey Cerakote® finish for exceptional weather and corrosion resistance

Specs
- Weighs 7 ¼ - 7 ½ pounds
- Magazine Capacity 3+1 / 5+1 / DBM 3+1
- Length of Pull 13 ½"

AVAILABLE CALIBERS

.223 REM.	VTG223RR4O	.270 WIN.	VTG270NR4O
.22-250 REM.	VTG222RR4O	.270 WIN.	VTGD270NR4O*
.243 WIN.	VTG243NR4O	7MM-08 REM.	VTG7M8RR4O
.240 WBY. MAG.	VTG240WR4O	7MM REM. MAG.	VTG7MMRR6O
.240 WBY. MAG.	VTGD240WR4O*	.308 WIN.	VTG308NR4O
.25-06 REM.	VTG256RR4O	.30-06 SPRG.	VTG306SR4O
.25-06 REM.	VTGD256RR4O*	.30-06 SPRG.	VTGD306SR4O*
.257 WBY. MAG.	VTG257WR6O	.300 WIN. MAG.	VTG300NR6O
6.5 CREEDMOOR	VTG65CMR4O	.300 WBY. MAG.	VTG300WR6O

MSRP: $749

*Detachable magazine reduces rifle's overall weight by 1/4 pound, as compared to standard hinged bottom metal



VANGUARD® FIRST LITE

JOHN SOLBERG | WEATHERBY CUSTOMER SERVICE | MULE DEER | WYOMING

VANGUARD® Wilderness™ / *(Wilderness™ DBM)*



LIGHTWEIGHT PERFORMANCE

Features
- Hand-laid, raised comb Monte Carlo, carbon fiber composite stock with full length aluminum bedding block
- Matte gel coat finish, and spiderweb accents
- Pachmayr® Decelerator® recoil pad
- Optional detachable box magazine* available in .240 Wby., .25-06 Rem., .270 Win., and .30-06 Sprg.



Barrel
- #2 contour
- Available in 24" and 26" barrel lengths
- Matte, bead blasted, blued finish

Specs
- Weighs 6 ½ - 6 ¾ pounds
- Magazine Capacity 3+1 / 5+1 / DBM 3+1
- Length of Pull 13 5/8"

AVAILABLE CALIBERS

.240 WBY. MAG.	VLE240WR40	.270 WIN.	VLE270NR40
.240 WBY. MAG.	VLED240WR40*	.270 WIN.	VLED270NR40*
.25-06 REM.	VLE256RR40	.308 WIN.	VLE308NR40
.25-06 REM.	VLED256RR40*	.30-06 SPRG.	VLE306SR40
.257 WBY. MAG.	VLE257WR60	.30-06 SPRG.	VLED306SR40*
6.5 CREEDMOOR	VLE65CMR40	.300 WIN. MAG.	VLE300NR60
6.5-300 WBY. MAG	VLE653WR60	.300 WBY. MAG.	VLE300WR60

MSRP: $999

**Detachable magazine reduces rifle's overall weight by 1/4 pound, as compared to standard hinged bottom metal*

VANGUARD® Back Country



BEST VALUE

Features
- Hand-laid, raised comb Monte Carlo, carbon fiber composite stock with full length aluminum bedding block
- Matte gel coat finish, and spiderweb accents
- Pachmayr® Decelerator® recoil pad

Barrel
- #2 contour
- Available in 24" and 26" barrel lengths
- Weight-saving fluted cold hammer forged barrel
- Tactical Grey Cerakote® finish for exceptional weather and corrosion resistance

Specs
- Weighs 6 ¾ pounds
- Length of Pull 13 5/8"

AVAILABLE CALIBERS

.240 WBY. MAG.	VBK240WR40
.257 WBY. MAG.	VBK257WR60
6.5 CREEDMOOR	VBK65CMR40
.270 WIN.	VBK270NR40
.30-06 SPRG.	VBK306SR40
.300 WIN. MAG.	VBK300NR60
.300 WBY. MAG.	VBK300WR60

MSRP: $1,429

VANGUARD® Accuguard™



LONG RANGE PERFORMANCE

Features
- Hand-laid, raised comb Monte Carlo, carbon fiber composite stock with full length aluminum bedding block
- Matte gel coat finish, and spiderweb accents
- Pachmayr® Decelerator® recoil pad

Barrel
- #3 contour
- Available in 24" and 26" barrel lengths
- Free-floated, fluted barrel
- Recessed target crown to enhance accuracy and protect rifling
- 410 Series stainless steel, bead blasted, matte finish

Specs
- Weighs 8 pounds
- Magazine Capacity 3+1 and 5+1
- Length of Pull 13 5/8"

AVAILABLE CALIBERS

.240 WBY.	VCC240WR40
6.5-300 WBY. MAG	VCC653WR60
30-06 SPRG.	VCC306SR40
.257 WBY. MAG.	VCC257WR60
.300 WIN MAG.	VCC300NR60
.300 WBY. MAG.	VCC300WR60

MSRP: $1,099






SUB-MOA

GUARANTEED SUB-MOA ACCURACY

All Weatherby® Vanguard® rifles are guaranteed to shoot a 3-shot group of .99" or less at 100 yards (SUB-MOA) from a cold barrel when used with Weatherby® factory or premium ammunition.

VANGUARD® Camilla



TRADITIONAL STYLING

Features
- Stock designed by a group of women hunters and shooters to properly fit a woman's form.
- Raised comb, Monte Carlo "A" grade Turkish walnut stock with satin urethane finish
- Exotic hardwood forend and grip cap.
- Fineline diamond point Fleur-de-lis checkering

Barrel
- #1 contour barrel
- Available in 20" barrel length
- Bead blasted, matte blued finish

Specs
- Weighs 6 ½ pounds
- Magazine Capacity 5+1 and 4+1 (6.5 Creemoor)
- Length of Pull 13"

AVAILABLE CALIBERS

.243 WIN.	VWR243NR00
6.5 CREEDMOOR	VWR65CMR00
7MM-08 REM. MAG.	VWR7M8RR00
.308 WIN.	VWR308NR00

MSRP: $849

VANGUARD® Deluxe



TRADITIONAL STYLING

Features
- Raised comb, Monte Carlo "AA" grade Claro walnut stock in high gloss finish
- Exotic hardwood forend and grip cap with maplewood spacers
- Fineline checkering

Barrel
- #2 contour barrel
- Available in 24" and 26" barrel lengths
- Blued metalwork in high lustre finish

Specs
- Weighs 7 ½ pounds
- Magazine Capacity 3+1 and 5+1
- Length of Pull 13 ⅝"

AVAILABLE CALIBERS

.257 WBY. MAG.	VGX257WR60
.270 WIN.	VGX270NR40
.30-06 SPRG.	VGX306SR40
.300 WBY. MAG.	VGX300WR60

MSRP: $1,149

VANGUARD® Lazerguard™



ELEGANT LASER CHECKERING

Features
- Raised comb Monte Carlo, "AA" grade, Claro walnut stock with high gloss finish and laser-carved oak leaf pattern
- Exotic hardwood forend and grip caps with maplewood spacers

Barrel
- #2 contour barrel
- Available in 24" and 26" barrel lengths
- Blued metalwork in high lustre finish

Specs
- Weighs 7 ½ pounds
- Magazine Capacity 3+1 and 5+1
- Length of Pull 13 ⅝"

AVAILABLE CALIBERS

.243 WIN.	VGZ243NR40
.257 WBY. MAG.	VGZ257WR60
.270 WIN.	VGZ270NR40
.30-06 SPRG.	VGZ306SR40
.308 WIN.	VGZ308NR40
.300 WIN.	VGZ300NR60
.300 WBY. MAG	VGZ300WR60

MSRP: $1,199

VANGUARD® Sporter / *(Sporter DBM*)*



CLASSIC BEAUTY

Features
- Raised comb, Monte Carlo "A" grade Turkish walnut stock with satin urethane finish
- Exotic hardwood forend and fineline diamond point checkering
- Optional detachable box magazine available in .25-06 Rem., .270 Win., and .30-06 Sprg.



Barrel
- #2 contour barrel
- Available in 24" and 26" barrel lengths
- Bead blasted, matte blued finish

Specs
- Weighs 7 ¼ - 7 ½ pounds
- Magazine Capacity 3+1 / 5+1 / DBM 3+1
- Length of Pull 13 ⅝"

AVAILABLE CALIBERS

.223 REM.	VDT223RR4O	7MM-08 REM.	VDT7M8RR4O
.22-250 REM.	VDT222RR4O	7MM REM. MAG.	VDT7MMRR6O
.243 WIN.	VDT243NR4O	.308 WIN.	VDT308NR4O
.25-06 REM.	VDT256RR4O	.30-06 SPRG.	VDT306SR4O
.25-06 REM.	VDTD256RR4O*	.30-06 SPRG.	VDTD306SR4O*
.257 WBY. MAG.	VDT257WR6O	.300 WIN. MAG.	VDT3OONR6O
.270 WIN.	VDT27ONR4O	.300 WBY. MAG.	VDT3OOWR6O
.270 WIN.	VDTD27ONR4O*		

MSRP: $849

**Detachable magazine reduces rifle's overall weight by 1/4 pound, as compared to standard hinged bottom metal*

VANGUARD® Safari



CLASSIC PERFORMANCE

Features
- European walnut stock features a hand rubbed oil finish, Monte Carlo cheekpiece
- Diamond point Fleur-de-lis checkering
- Exotic hardwood grip cap and forend tip
- Pachmayr® Decelerator® recoil pad

Barrel
- #2 / #2.5 contour
- Available in 24" hammer forged barrel length
- Bead blasted, matte blued finish
- .375 H&H version comes with NECG adjustable rear sight & Williams Gun Sight Company hooded front sight
- .30-06 version does not have iron sights

Specs
- Weighs 7 ¾ pounds
- Magazine Capacity 3+1 and 5+1
- Length of Pull 13 ½"

AVAILABLE CALIBERS

.300 WBY. MAG.	VSJ3OOWR4O
.375 H&H	VSJ375HR4OS
.30-06 SPRG.	VSJ306SR4O

MSRP: $1,399 (.375 H&H)
MSRP: $1,199 (30-06 & .300 WBY)

VANGUARD® DGR *(Dangerous Game Rifle)*



AFRICA OR ALASKA

Features
- Hand-laid, raised comb Monte Carlo, carbon fiber composite stock with full length aluminum bedding block
- NECG adjustable rear sight and Williams Gun Sight Company hooded front sight
- Matte gel coat finish, and spiderweb accents
- Pachmayr® Decelerator® recoil pad

Barrel
- #2.5 contour
- Available in 24" barrel length
- Twist Rate 1-12"
- Bead blasted, matte blued finish

Specs
- Weighs 7 ¾ pounds
- Magazine Capacity 3+1
- Length of Pull 13 ⅝"

AVAILABLE CALIBERS

.375 H&H	VGR375HR4OS

MSRP: $1,299

SHOTGUNS

OVER/UNDER SHOTGUN

From Upland Birds, to Waterfowl, to fast-moving clays, our ORION® Over/Under handles them all with exceptional double gun performance. Traditional boxlock design. Forged steel receiver. Rich Grade "A" walnut stock. A rock solid, beautiful shotgun that delivers that exceptional balance and effortless swing through. From the moment you pick it up you'll know you have something special in your hands.

INERTIA OPERATED SEMI-AUTO SHOTGUNS

ELEMENT® semi-auto shotgun bring together the signature fit and finish of a Weatherby® with our "inertia-operated" action. The result is performance that is clean, smooth, and ready for round after round of high volume shooting.

GAS OPERATED SEMI-AUTO SHOTGUNS

Smooth. Reliable. Easy on the shoulder. Those are three characteristics most often used to describe our SA-08™ and SA-459™ semi-auto shotguns. The dual valve system lets you tailor your load from upland loads to 3" magnums.

The SA-08™ is trim, balanced, and a pleasure to carry, tipping the scales at just 5.5 - 6.5 pounds (depending on model and gauge) and offering smooth and steady swing through for quick and consistent target acquisition.

The SA-459™ combines the smooth cycling action of our dual valve system, is designed to shoot heavy loads, and offers the control of an ergonomic pistol grip, for sure handling.

COMMON FEATURES

ORION®

LOW PROFILE RECIEVER
Through pin design for better weight and balance.

ENDURANCE
Extensive Endurance Testing.

EXCEPTIONAL BALANCE
Fast to shoulder, and smooth swing through for quick target acquisition in every hunting or shooting situation.

ENDURANCE TESTED FIELD PROVEN™

ELEMENT®

DROP AND CAST ADJUSTMENTS
Includes spacers and shims to create the perfect fit.

BARREL FEATURES
Vented top rib, fiber optic front bead, and chrome lined bore.

DUAL PURPOSE BOLT RELEASE
Moves the bolt forward into battery and also allows for the removal of live shells from the magazine without being cycled through the chamber.

SA-08™ & SA-459™

CNC-MACHINED
Aircraft grade aluminum receiver.

CHROME PLATED BOLT
For increased durability and corrosion resistance.

BARREL FEATURES
Vented top rib, brass front bead, and chrome lined bore.

DROP OUT
Trigger system for easy cleaning.

Almost all Weatherby® shotguns feature an interchangeable, screw-in Integral Multi-Choke System (Briley™ compatible thread pattern) to allow you to tailor your shot pattern for specific needs. Crafted from steel, Weatherby chokes also feature a unique design that reduces thread fouling and aids in easy removal/changes in the field. Certified for steel shot through modified choke constrictions. All Weatherby chokes feature an easy-to-use identification system to allow you to quickly identify the proper choke for your shooting situation.



ORION® SAMPLE TEXT



ADAM WEATHERBY & DANA WEATHERBY

ORION®

OVER/UNDER SHOTGUN



ORION® I



Features
- Prince of Wales grip
- "A" grade walnut stock
- Low profile receiver
- Automatic ejectors
- Ambidextrous top tang safety

Barrel
- 12 gauge with 3" chambers
- Available in 26" and 28" barrel lengths
- Matte ventilated top rib with brass bead front sight
- Chrome-lined bores

Specs
- Weighs 7 pounds
- Length of Pull 14 ⅝
- Includes 3 application specific choke tubes (Full, Mod, IC)

CLASSIC PERFORMANCE

12 GAUGE	
26" BARREL	OR11226RGG
28" BARREL	OR11228RGG

MSRP: $949

ORION® Sporting



Features
- High gloss finished, "A" grade walnut stock with diamond point checkering and adjustable comb
- High gloss metalwork
- Ambidextrous top tang safety
- Automatic ejectors
- Fiber optic front sight

Barrel
- 12 gauge with 3" chambers
- 30" ported barrels
- Tapered ventilated top rib (10mm x 6mm)
- Chrome lined bores

Specs
- Weighs 7 ½ pounds
- Length of Pull 14 ⅝
- Knurled, extended chokes included: Full, Imp. Mod, Modified, Imp Cyl, & Skeet

SPORTING CLAYS/ TRAP/SKEET

12 GAUGE	
30" BARREL	OSP1230PGG

MSRP: $1,099

ELEMENT®

INERTIA OPERATED SEMI-AUTO SHOTGUN



ELEMENT® Synthetic



INERTIA RELIABILITY

Features
- Griptonite® stock features rubberized pistol grip and forend inserts gray/black design color


Barrel
- Bead blasted matte finish

Specs
- Includes application specific choke tubes:
- 20 Gauge -Full, Mod, and IC
- 12 Gauge -Full, Mod, IC, and Long Range Steel

12 GAUGE	
26" BARREL	ESN1226PGM
28" BARREL	ESN1228PGM
20 GAUGE	
26" BARREL	ESN2026PGM
28" BARREL	ESN2028PGM

MSRP: $749

ELEMENT® Waterfowler Max-5®



FOWL WEATHER PROTECTION

Features
- Griptonite® stock features rubberized pistol grip and forend inserts

Barrel
- Realtree® Max-5® camo pattern adheres directly to all metalwork and stock components

Specs
- Includes application specific choke tubes:
- 20 Gauge -Full, Mod, and IC
- 12 Gauge -Full, Mod, IC, and Long Range Steel

REALTREE

12 GAUGE	
26" BARREL	EWF1226PGM
28" BARREL	EWF1228PGM
20 GAUGE	
26" BARREL	EWF2026PGM
28" BARREL	EWF2028PGM

MSRP: $849

SA-08™ & SA-459™

GAS OPERATED SEMI-AUTO SHOTGUNS

SA-08™ Deluxe



Features
- Beautiful select grade walnut stock with high gloss finish
- 22 LPI checkering on pistol grip and forend

Barrel
- Rich high lustre finish on metalwork

Specs
- Includes 3 application specific choke tubes (Full, Mod, and IC)

12 GAUGE	
26" BARREL	SA08D1226PGM
28" BARREL	SA08D1228PGM
20 GAUGE	
26" BARREL	SA08D2026PGM
28" BARREL	SA08D2028PGM

MSRP: $849

CLASSIC BEAUTY

SA-08™ Synthetic



Features
- Lightweight and durable injection-molded synthetic stock
- Swivel studs included

Barrel
- All metalwork is matte black to reduce glare

Specs
- Includes 3 application specific choke tubes (Full, Mod, and IC)

12 GAUGE	
26" BARREL	SA08S1226PGM
28" BARREL	SA08S1228PGM
20 GAUGE	
26" BARREL	SA08S2026PGM
28" BARREL	SA08S2028PGM

MSRP: $649

EXCEPTIONAL VALUE

SA-08™ Synthetic Compact



20 GAUGE	
24" BARREL	SA08SY2024PGM

MSRP: $649


GREAT FIRST WEATHERBY

Features
- *The Synthetic Compact is the perfect option for young shooters or those that want the benefits of a compact shotgun. The shortened length of pull provides positive fit for shooters looking for a comfortable shooting experience.*
- *Swivel studs included*

Barrel
- *24" Barrel Length*

Specs
- *Length of Pull 12 ½"*
- *Includes 3 application specific choke tubes (Full, Mod, and IC)*

SA-459™ Turkey Xtra Green



12 GAUGE	
22" BARREL	SA459XG1222PGM
20 GAUGE	
22" BARREL	SA459XG2022PGM

MSRP: $799

PERFECT FOR GOBBLERS

Features
- *Fully dipped in Realtree Xtra® Green camo. An extra effective early season pattern that combines leaves, colors, open areas and extreme contrast in a 3D multidirectional design.*
- *Rubberized pistol grip for one hand control*
- *Green fiber optic front sight*

Barrel
- *22" barrel with vented top rib*

Specs
- *Includes one extended, fluted choke tube (XF)*
- *Removable Picatinny receiver mount*
- *Enlarged bolt handle*
- *Swivel studs included*

AMMUNITION

WEATHERBY® SELECT™

Hard-hitting performance and unmatched value.. Our Select™ ammunition gives you the flat shooting, hard-hitting, and incredibly accurate performance starting at just $44 a box. Choose Weatherby® Select™ in five of our most popular chamberings – .240 Wby. Mag., .257 Wby. Mag., .270 Wby. Mag., .300 Wby. Mag and 6.5-300 Wby. Mag.

WEATHERBY® SELECT PLUS™

Match your favorite branded bullet with the ultimate in speed, power and velocity. Weatherby® Select Plus™ ammunition is the flattest shooting, hardest hitting, most accurate ammunition you can buy. It pairs our magnum design with the most popular bullet offerings from Barnes®, Hornady®, Swift®, Berger®, and Nosler.® With Select Plus™, there's a bullet option to meet every hunting or shooting situation. Available in all Weatherby Magnum chamberings from .224 Wby. Mag. thru .460 Wby. Mag. including the 6.5-300 Weatherby Magnum! With a Weatherby® Mark V® or Vanguard® rifle, you'll have an unbeatable combination for tack-driving knockdown power that's always dead on the money.









AMMUNITION PERFORMANCE

Ultra-velocity, magnum ammunition is how Roy Weatherby got started in the 1940s. As a young wildcatter, he cut his teeth developing blistering fast, hard-hitting loads that were dead-on accurate. Today, those same performance qualities are every bit a part of Weatherby® cartridges. When combined with a Weatherby® rifle, nothing shoots flatter, hits harder or is more accurate.


6.5MM (.264 CAL.) MUZZLE VELOCITY (feet per second)



30 CALIBER MUZZLE VELOCITY (feet per second)



338 CALIBER MUZZLE VELOCITY (feet per second)





MARK V® CARBONMARK & CAMILLA ULTRA LIGHTWEIGHT

KEVIN WILKERSON | WEATHERBY MARKETING | SOUTH DAKOTA | MULE DEER | PUBLIC LAND

BALLISTICS SPECIFICATIONS

SUGGESTED USAGE	CARTRIDGE	BULLET		PRODUCT CODE	MSRP	B/C	VELOCITY IN FEET PER SECOND						ENERGY IN FOOT-POUNDS						PATH OF BULLET				
		Weight Grains	Bullet Type				Muzzle	100 yards	200 yards	300 yards	400 yards	500 yards	Muzzle	100 yards	200 yards	300 yards	400 yards	500 yards	100 yards	200 yards	300 yards	400 yards	500 yards
V	.224 Wby.	55	SP	H22455SP	$67	.235	3650	3192	2780	2403	2056	1741	1627	1244	944	705	516	370	2.8	3.7	0.0	-9.8	-27.9
M	.240 Wby.	85	Barnes TSX	B24085TSX	$90	.333	3500	3222	2962	2717	2484	2264	2448	2075	1753	1475	1233	1024	2.6	3.3	0.0	-8.0	-21.6
M		100	Spitzer	G240100SR	$43	.302	3200	2875	2573	2290	2025	1780	2274	1836	1470	1165	911	703	3.6	4.4	0.0	-11.1	-30.7
M		100	Partition	N240100PT	$90	.384	3406	3136	2882	2642	2415	2199	2576	2183	1844	1550	1294	1073	2.8	3.5	0.0	-8.4	-22.9
M	.257 Wby.	80	Barnes TTSX	B25780TTSX	$90	.316	3870	3561	3274	3005	2753	2514	2661	2253	1904	1605	1346	1123	1.9	2.6	0.0	-6.4	-17.4
M		100	Spitzer	G257100SR	$43	.256	3500	3091	2718	2375	2057	1766	2721	2122	1641	1253	940	693	3.0	3.9	0.0	-10.1	-28.5
M		100	SP	H257100SP	$67	.357	3602	3298	3016	2750	2500	2264	2881	2416	2019	1680	1388	1138	2.4	3.1	0.0	-7.7	-21.0
M		100	Barnes TSX	B257100TSX	$90	.370	3570	3312	3079	2840	2623	2203	2731	2352	2019	1725	1496	1239	2.9	3.7	0.0	-8.8	-23.7
M		110	Accubond	N257110ACB	$90	.418	3460	3207	2969	2744	2529	2325	2925	2513	2154	1839	1563	1320	2.7	3.3	0.0	-7.9	-21.2
M		115	BST	N257115BST	$78	.453	3400	3170	2952	2745	2547	2357	2952	2566	2226	1924	1656	1419	3.0	3.5	0.0	-7.9	-21.5
M		120	Partition	N257120PT	$90	.391	3305	3046	2801	2570	2350	2141	2910	2472	2091	1760	1471	1221	3.0	3.7	0.0	-8.9	-24.3
M	.270 Wby.	130	Spitzer	G270130SR	$43	.359	3280	3000	2737	2489	2254	2032	3106	2599	2163	1789	1468	1193	3.1	3.9	0.0	-9.5	-25.9
M		130	SP	H270130SP	$65	.409	3375	3123	2885	2659	2444	2240	3288	2815	2402	2041	1724	1448	2.8	3.5	0.0	-8.4	-22.6
M		130	Barnes TSX	B270130TSX	$90	.431	3400	3176	2963	2761	2567	2382	3338	2912	2536	2201	1903	1638	2.6	3.3	0.0	-7.9	-21.0
M		140	Accubond	N270140ACB	$90	.496	3320	3113	2916	2727	2547	2373	3427	3014	2644	2313	2016	1751	2.8	3.4	0.0	-8.1	-21.6
M		140	BST	N270140BST	$78	.456	3300	3077	2865	2663	2470	2285	3385	2943	2551	2204	1896	1622	2.9	3.6	0.0	-8.4	-22.6
M	.224 Wby.	150	Partition	N270150PT	$90	.465	3245	3029	2823	2627	2439	2259	3507	3055	2655	2298	1981	1699	3.0	3.7	0.0	-8.7	-23.2
M	7mm Wby.	140	Barnes TSX	B7MM140TSX	$90	.394	3250	3039	2837	2645	2460	2283	3284	2871	2503	2175	1882	1621	3.0	3.6	0.0	-8.6	-23.0
M		150	BST	N7MM150BST	$78	.493	3300	3093	2896	2708	2527	2353	3627	3187	2793	2442	2127	1844	2.8	3.5	0.0	-8.2	-21.8
M		154	SP	H7MM154SP	$67	.433	3260	3028	2807	2597	2397	2206	3634	3134	2694	2307	1964	1663	3.0	3.7	0.0	-8.8	-23.8
M		160	Partition	N7MM160PT	$90	.475	3200	2991	2791	2600	2417	2241	3638	3177	2767	2401	2075	1784	3.1	3.8	0.0	-8.9	-23.8
MB		175	SP	H7MM175SP	$67	.462	3070	2861	2662	2471	2288	2113	3662	3181	2753	2373	2034	1735	3.5	4.2	0.0	-9.9	-26.5
M	.300 Wby.	150	SP	H300150SP	$67	.338	3540	3225	2932	2657	2399	2155	4173	3462	2862	2351	1916	1547	2.6	3.3	0.0	-8.2	-22.6
M		150	Partition	N300150PT	$90	.387	3540	3263	3004	2759	2528	2307	4173	3547	3005	2536	2128	1773	2.5	3.2	0.0	-7.7	-20.9
M		165	SP	H300165SP	$67	.387	3390	3123	2872	2634	2409	2195	4210	3573	3021	2542	2126	1765	2.8	3.5	0.0	-8.5	-23.1
MB		165	Barnes TSX	B300165TSX	$90	.390	3330	3073	2831	2601	2383	2175	4064	3460	2936	2479	2080	1734	2.9	3.6	0.0	-8.8	-23.7
M		165	BST	N300165BST	$78	.475	3350	3133	2927	2730	2542	2361	4111	3596	3138	2730	2367	2042	2.7	3.4	0.0	-8.1	-21.4
MB		180	Spitzer	G300180SR	$43	.331	3150	2855	2579	2319	2074	1845	3967	3259	2659	2150	1720	1361	3.6	4.4	0.0	-10.9	-30.0
MB		180	SP	H300180SP	$67	.425	3240	3004	2781	2569	2366	2173	4195	3607	3091	2637	2237	1886	3.1	3.8	0.0	-9.0	-24.4
MB		180	Barnes TSX	B300180TSX	$90	.453	3240	3018	2807	2606	2414	2230	4197	3642	3151	2715	2319	1987	3.0	3.7	0.0	-8.8	-23.6
MB		180	BST	N300180BST	$78	.507	3250	3051	2806	2676	2503	2334	4223	3721	3271	2867	2504	2178	2.8	3.6	0.0	-8.4	-22.4
MB		180	Accubond	N300180ACB	$90	.507	3250	3051	2861	2678	2503	2335	4223	3721	3271	2868	2505	2179	2.9	3.6	0.0	-8.4	-22.4

SUGGESTED USAGE	CARTRIDGE	BULLET		PRODUCT CODE	MSRP	B/C	VELOCITY IN FEET PER SECOND						ENERGY IN FOOT-POUNDS						PATH OF BULLET				
		Weight Grains	Bullet Type				Muzzle	100 yards	200 yards	300 yards	400 yards	500 yards	Muzzle	100 yards	200 yards	300 yards	400 yards	500 yards	100 yards	200 yards	300 yards	400 yards	500 yards
MB		180	Partition	N300180PT	$90	.474	3240	3028	2826	2634	2449	2271	4195	3665	3193	2772	2396	2062	3.0	3.7	0.0	-8.6	-23.1
MB		200	Partition	N300200PT	$90	.481	3060	2860	2668	2485	2308	2139	4158	3631	3161	2741	2366	2032	3.5	4.2	0.0	-9.8	-26.2
MB	.30-378 Wby.	165	Barnes TSX	B303165TSX	$159	.380	3450	3186	2937	2702	2479	2266	4362	3719	3161	2675	2251	1882	2.4	3.1	0.0	-7.4	-19.6
M		165	BST	N303165BST	$146	.475	3500	3275	3062	2859	2665	2480	4488	3930	3435	2995	2603	2253	2.4	3.0	0.0	-7.4	-19.5
M		180	BST	N303180BST	$146	.507	3420	3213	3015	2826	2645	2471	4676	4126	3634	3193	2797	2441	2.5	3.1	0.0	-7.5	-20.0
M		180	Accubond	N303180ACB	$146	.507	3420	3213	3015	2826	2645	2471	4676	4126	3634	3193	2797	2441	2.5	3.1	0.0	-7.5	-20.0
MB		180	Barnes TSX	B303180TSX	$159	.453	3360	3132	2916	2709	2513	2324	4513	3921	3398	2935	2524	2160	2.7	3.4	0.0	-8.1	-21.8
MB		200	Partition	N303200PT	$159	.481	3160	2955	2759	2572	2392	2220	4434	3877	3381	2938	2541	2188	3.2	3.9	0.0	-9.1	-24.3
MB	.338-378 Wby.	225	Barnes TSX	B333225TSX	$159	.386	3180	2974	2778	2591	2410	2238	5052	4420	3856	3353	2902	2501	3.1	3.8	0.0	-8.9	-24.0
MB		250	Partition	N333250PT	$159	.473	3060	2856	2662	2475	2297	2125	5197	4528	3933	3401	2927	2507	3.5	4.2	0.0	-9.8	-26.4
MB	.340 Wby.	225	SP	H340225SP	$78	.397	3066	2824	2595	2377	2170	1973	4696	3984	3364	2822	2352	1944	3.6	4.4	0.0	-10.7	-28.6
B		225	Barnes TSX	B340225TSX	$112	.386	2970	2726	2495	2276	2068	1871	4408	3714	3111	2588	2136	1749	4.0	4.8	0.0	-11.5	-31.2
B		250	SP	H340250SP	$78	.431	2963	2745	2537	2338	2149	1968	4873	4182	3572	3035	2563	2150	3.9	4.6	0.0	-11.1	-29.6
B		250	Partition	N340250PT	$112	.473	2941	2743	2553	2371	2197	2029	4801	4176	3618	3120	2678	2286	3.9	4.6	0.0	-10.9	-28.9
BA	.375 Wby.	300	Partition	N375300PT	$124	.398	2800	2572	2366	2140	1963	1760	5224	4408	3696	3076	2541	2084	1.9	0.0	-8.2	-23.9	-48.7
BA	.378 Wby.	270	SP	H378270SP	$146	.380	3180	2921	2677	2445	2225	2017	6062	5115	4295	3583	2968	2438	1.3	0.0	-6.1	-18.1	-37.1
BA		270	Barnes TSX	B378270TSX	$169	.326	3060	2868	2684	2507	2337	2174	5615	4932	4319	3770	3276	2834	1.3	0.0	-6.2	-17.9	-36.1
BA		300	Rn-Ex	H378300RN	$146	.250	2925	2558	2220	1908	1627	1383	5699	4360	3283	2424	1764	1274	1.9	0.0	-9.0	-27.8	-60.0
BA		300	FMJ	H378300FJ	$146	.275	2925	2591	2280	1991	1725	1489	5699	4470	3461	2640	1983	1476	1.8	0.0	-8.6	-26.1	-55.4
A	.416 Wby.	350	Barnes TSX	B416350TSX	$193	.345	2880	2702	2530	2365	2207	2054	6448	5674	4977	4349	3785	3279	1.6	0.0	-7.0	-20.4	-40.8
A		400	Rn-Ex	H416400RN	$193	.311	2700	2417	2152	1903	1676	1470	6474	5189	4113	3216	2493	1918	2.3	0.0	-9.7	-29.3	-61.2
A	.460 Wby.	450	Barnes TSX	B460450TSX	$193	.369	2660	2422	2197	1983	1783	1598	7072	5864	4823	3932	3178	2553	2.2	0.0	-9.5	-27.8	-57.1
A		500	Rn-Ex	H460500RN	$169	.287	2600	2301	2022	1764	1533	1333	7504	5877	4539	3456	2608	1972	2.6	0.0	-11.1	-33.5	-71.1
A		500	FMJ	H460500FJ	$169	.295	2600	2309	2037	1784	1557	1357	7504	5917	4605	3534	2690	2046	2.5	0.0	-10.9	-33.0	-69.6

BALLISTIC SPECIFICATION LEGEND:

SP = Spire Point (Hornady® Interlock®)
FMJ = Full Metal Jacket
Barnes® TTSX = Barnes® TTSX™
BST = Nosler® Ballistic Tip®
Spitzer = Norma® Spitzer
Scirocco = Swift™ Scirocco®
VLD = Berger VLD Hunting

Rn-Ex = Round Nose-Expanding
Barnes® TSX = Barnes® TSX®
Partition = Nosler® Partition® Flat Base
Accubond = Nosler® Accubond®
Barnes® LRX = Barnes® LRX®
A-Frame = Swift™ A-Frame®

Ammunition Suggested Usage: V-Varmint M-Medium Game (Deer, Sheep, Pronghorn , Black Bear)
B-Big Game (Elk, Moose, Grizzly) A-African Big Game (Elephant, Cape Buffalo, Rhino, Lion)

**Above or below line-of-sight of rifle scopes mounted 1.5" above bore.*

NOTE: These tables were calculated by computer using a standard modern scientific technique to predict trajectories and recoil energies from the best available data for each cartridge. The figures shown are expected to be reasonably accurate of ammunition behavior under standard conditions. However, the shooter is cautioned that performance will vary because of variations in rifles, ammunition, atmospheric conditions and altitude.

B/C: Ballistic Coefficients used for these tables were supplied by the bullet's manufacturer. Listed velocities were determined using 26-inch barrels. Velocities from shorter barrels will be reduced by 30 to 65 feet per second per inch of barrel removed.

Trajectories were computed with the line-of-sight 1.5 inches above the bore centerline.

Accubond®, Ballistic Tip® and Partition® are registered trademarks of Nosler, Inc.

Barnes TSX® is a registered trademark of Barnes Bullets, LLC. Barnes™ and TTSX™ are trademarks of Barnes Bullets, LLC.

Hornady® and Interlock® are registered trademarks of Hornady Manufacturing Company.

For more information regarding specific ammunition applications and retail pricing visit our website at weatherby.com



Find Weatherby® branded gear and accessories on our website at weatherby.com

FOLLOW US

Join us on Facebook

Catch us on Instagram

Watch us on WBY-TV.com

WEATHERBY SERVICE CENTER

For any warranty and service needs, contact us at (307) 675-7800 or by FAX at (307) 675-7801 or visit www.weatherby.com

MARK V® ACCUMARK®

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MAMS240WR4O	747115428168	.240 WBY. MAG.	$2,300	RH 24"	7.25 LBS.	44"	5+1	24" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM257WR6O	747115427949	.257 WBY. MAG.	$2,300	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM257WL6O	747115428137	(LH) .257 WBY. MAG	$2,400	LH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMS65CMR4O	747115430970	6.5 CREEDMOOR	$2,300	RH 24"	7.25 LBS.	44"	4+1	24" #3	1-8"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM653WR6O	747115428113	6.5-300 WBY. MAG.	$2,300	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-8"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM653WL6O	747115434152	(LH) 6.5-300 WBY. M	$2,400	LH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-8"	13 5/8"	7/8"	5/8"	1 5/8"
MAMS270NR4O	747115428175	.270 WIN.	$2,300	RH 24"	7.25 LBS.	44"	5+1	24" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM270WR6O	747115427963	.270 WBY. MAG.	$2,300	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM7MMRR6O	747115427987	7MM REM. MAG.	$2,300	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-9.5"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM7MMWR6O	747115428007	7MM WBY. MAG.	$2,300	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMS308NR4O	747115428199	.308 WIN.	$2,300	RH 24"	7.25 LBS.	44"	5+1	24" #3	1-12"	13 5/8"	7/8"	5/8"	1 5/8"
MAMS306SR4O	747115428182	.30-06 SPRG.	$2,300	RH 24"	7.25 LBS.	44"	5+1	24" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM300NR6O	747115428021	.300 WIN. MAG.	$2,300	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM300WR6O	747115428045	.300 WBY. MAG.	$2,300	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM300WL6O	747115428144	(LH) .300 WBY. MAG.	$2,400	LH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM303WR8B*	747115428069	.30-378 WBY. MAG.	$2,600	RH 28"	8.5 LBS.	48 5/8"	2+1	28" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM303WL8B*	747115428151	(LH).30-378 WBY. M	$2,700	LH 28"	8.5 LBS.	48 5/8"	2+1	28" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM340WR6O	747115428090	.340 WBY. MAG.	$2,300	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM338LR8B*	747115428083	.338 LAPUA MAG.	$2,600	RH 28"	8.5 LBS.	48 5/8"	2+1	28" #3	1-9.3"	13 5/8"	7/8"	5/8"	1 5/8"
MAMM333WR8B*	747115428076	.338-378 WBY. MAG.	$2,600	RH 28"	8.5 LBS.	48 5/8"	2+1	28" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"

MARK V® ACCUMARK® RC

MARS240WR4O	747115427871	.240 WBY. MAG.	$2,800	RH 24"	7.25 LBS.	44"	5+1	24" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MARM257WR6O	747115427703	.257 WBY. MAG.	$2,800	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MARS65CMR4O	747115430963	6.5 CREEDMOOR	$2,800	RH 24"	7.25 LBS.	44"	4+1	24" #3	1-8"	13 5/8"	7/8"	5/8"	1 5/8"
MARM653WR6O	747115427925	6.5-300 WBY. MAG.	$2,800	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-8"	13 5/8"	7/8"	5/8"	1 5/8"
MARM270WR6O	747115427727	.270 WBY. MAG.	$2,800	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MARM7MMWR6O	747115427765	7MM WBY. MAG.	$2,800	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MARM300NR6O	747115427789	.300 WIN. MAG.	$2,800	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MARM300WR6O	747115427802	.300 WBY. MAG.	$2,800	RH 26"	8.25 LBS.	46 5/8"	3+1	26" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MARM303WR8B*	747115427826	.30-378 WBY. MAG.	$3,100	RH 28"	8.5 LBS.	48 5/8"	2+1	28" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MARM338LR8B*	747115427840	.338 LAPUA MAG.	$3,100	RH 28"	8.5 LBS.	48 5/8"	2+1	28" #3	1-9.3"	13 5/8"	7/8"	5/8"	1 5/8"
MARM333WR8B*	747115427833	.338-378 WBY. MAG.	$3,100	RH 28"	8.5 LBS.	48 5/8"	2+1	28" #3	1-10"	13 5/8"	7/8"	5/8"	1 5/8"

MARK V® ALTITUDE

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MALS240WR4O	747115433513	.240 WBY. MAG.	$2,700	RH 24"	5.75 LBS.	44"	5+1	24" #1 MOD	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MALM257WR6O	747115433520	.257 WBY. MAG.	$2,700	RH 26"	6.75 LBS.	46 5/8"	3+1	26" #2 MOD	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MALS65CMR2O	747115433537	6.5 CREEDMOOR	$2,700	RH 22"	5.75 LBS.	42"	4+1	22" #1 MOD	1-8"	13 5/8"	7/8"	5/8"	1 5/8"
MALM653WR8B*	747115433544	6.5-300 WBY. MAG.	$2,900	RH 28"	6.75 LBS.	48 5/8"	3+1	28" #2 MOD	1-8"	13 5/8"	7/8"	5/8"	1 5/8"
MALS270NR2O	747115433551	.270 WIN.	$2,700	RH 22"	5.75 LBS.	42"	5+1	22" #1 MOD	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MALM270WR6O	747115433568	.270 WBY. MAG.	$2,700	RH 26"	6.75 LBS.	46 5/8"	3+1	26" #2 MOD	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MALS308NR2O	747115433582	.308 WIN.	$2,700	RH 22"	5.75 LBS.	42"	5+1	22" #1 MOD	1-12"	13 5/8"	7/8"	5/8"	1 5/8"
MALS306SR2O	747115433599	.30-06 SPRG.	$2,700	RH 22"	5.75 LBS.	42"	5+1	22" #1 MOD	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MALM300WR8B*	747115433605	.300 WBY. MAG.	$2,900	RH 28"	6.75 LBS.	48 5/8"	3+1	28" #2 MOD	1-10"	13 5/8"	7/8"	5/8"	1 5/8"

MARK V® ALTITUDE RC

MACM257WR6O	747115434015	.257 WBY. MAG.	$3,200	RH 26"	6.75 LBS.	46 5/8"	3+1	26" #2 MOD	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MACS65CMR2O	747115434022	6.5 CREEDMOOR	$3,200	RH 22"	5.75 LBS.	42"	4+1	22" #1 MOD	1-8"	13 5/8"	7/8"	5/8"	1 5/8"
MACM653WR8B*	747115434039	6.5-300 WBY. MAG.	$3,400	RH 28"	6.75 LBS.	48 5/8"	3+1	28" #2 MOD	1-8"	13 5/8"	7/8"	5/8"	1 5/8"
MACM270WR6O	747115434046	.270 WBY. MAG.	$3,200	RH 26"	6.75 LBS.	46 5/8"	3+1	26" #2 MOD	1-10"	13 5/8"	7/8"	5/8"	1 5/8"
MACM300WR8B	747115434060	.300 WBY. MAG.	$3,400	RH 28"	6.75 LBS.	48 5/8"	3+1	28" #2 MOD	1-10"	13 5/8"	7/8"	5/8"	1 5/8"

MARK V® CAMILLA™ DELUXE

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MCDS240WR4O	747115433759	.240 WBY. MAG.	$2,700	RH 24"	6.5 LBS.	43 1/2"	5+1	24" #1	1-10"	13"	7/8"	3/4"	2 1/4"
MCDS65CMR4O	747115433773	6.5 CREEDMOOR	$2,700	RH 24"	6.5 LBS.	43 1/2"	4+1	24" #1	1-8"	13"	7/8"	3/4"	2 1/4"
MCDS270NR4O	747115433766	.270 WIN.	$2,700	RH 24"	6.5 LBS.	43 1/2"	5+1	24" #1	1-10"	13"	7/8"	3/4"	2 1/4"
MCDS308NR4O	747115433780	.308 WIN.	$2,700	RH 24"	6.5 LBS.	43 1/2"	5+1	24" #1	1-12"	13"	7/8"	3/4"	2 1/4"
MCDS306SR4O	747115433797	.30-06 SPRG.	$2,700	RH 24"	6.5 LBS.	43 1/2"	5+1	24" #1	1-10"	13"	7/8"	3/4"	2 1/4"

MARK V® CAMILLA SUBALPINE

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MCAS240WR4O	747115434190	.240 WBY. MAG.	$2,700	RH 24"	5.75 LBS.	43 1/4"	5+1	24" #1 MOD	1-10"	13"	7/8"	3/4"	2 1/4"
MCAS65CMR2O	747115434206	6.5 CREEDMOOR	$2,700	RH 22"	5.75 LBS.	41 1/4"	3+1	22" #1 MOD	1-8"	13"	7/8"	3/4"	2 1/4"
MCAS270NR2O	747115434213	.270 WIN. MAG.	$2,700	RH 22"	5.75 LBS.	41 1/4"	4+1	22" #1 MOD	1-10"	13"	7/8"	3/4"	2 1/4"
MCAS308NR2O	747115434220	.308 WIN MAG.	$2,700	RH 22"	5.75 LBS.	41 1/4"	3+1	22" #1 MOD	1-12"	13"	7/8"	3/4"	2 1/4"
MCAS306SR2O	747115434237	.30-06 SPRG.	$2,700	RH 22"	5.75 LBS.	41 1/4"	3+1	22" #1 MOD	1-10"	13"	7/8"	3/4"	2 1/4"

MARK V® CAMILLA ULTRA LIGHTWEIGHT

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MCUS240WR4O	747115436552	.240 WBY. MAG.	$2,300	RH 24"	5.75 LBS.	43 ¼"	5+1	24" #1 MOD	1-10"	13"	7/8"	3/4"	2 ½"
MCUS270NR2O	747115436569	.270 WIN. MAG.	$2,300	RH 22"	5.75 LBS.	41 ¼"	4+1	22" #1 MOD	1-10"	13"	7/8"	3/4"	2 ½"
MCUS306SR2O	747115436576	.30-06 SPRG.	$2,300	RH 22"	5.75 LBS.	41 ¼"	3+1	22" #1 MOD	1-10"	13"	7/8"	3/4"	2 ½"
MCUS308NR2O	747115436583	.308 WIN MAG.	$2,300	RH 22"	5.75 LBS.	41 ¼"	3+1	22" #1 MOD	1-12"	13"	7/8"	3/4"	2 ½"
MCUS65CMR2O	747115436590	6.5 CREEDMOOR	$2,300	RH 22"	5.75 LBS.	41 ¼"	3+1	22" #1 MOD	1-8"	13"	7/8"	3/4"	2 ½"

MARK V® CARBONMARK

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MCMM257WR6O	747115434527	.257 WBY. MAG.	$4,100	RH 26"	6.75 LBS.	46 ⅝"	3+1	26" #4	1-10"	13 5/8"	7/8"	5/8"	1 ¾"
MCMM300WR6O	747115434534	.300 WBY. MAG.	$4,100	RH 26"	7.75 LBS.	46 ⅝"	3+1	26" #4	1-10"	13 5/8"	7/8"	5/8"	1 ¾"

MARK V® DANGEROUS GAME RIFLE (DGR)

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MDGM300WR4O	747115428885	.300 WBY. MAG.	$3,600	RH 24"	8.75 LBS.	44 ⅜"	4+1	24" #2	1-10"	13 ⅜"	7/8"	5/8"	1 ¾"
MDGM340WR4O	747115428892	.340 WBY. MAG.	$3,600	RH 24"	8.75 LBS.	44 ⅜"	4+1	24" #2	1-10"	13 ⅜"	7/8"	5/8"	1 ¾"
MDGM375HR4O	747115428908	.375 H&H	$3,600	RH 24"	9 LBS.	44 ⅜"	4+1	24" #3	1-12"	13 ⅜"	7/8"	5/8"	1 ¾"
MDGM375WR4O	747115428915	.375 WBY. MAG.	$3,600	RH 24"	9 LBS.	44 ⅜"	4+1	24" #3	1-12"	13 ⅜"	7/8"	5/8"	1 ¾"
MDGM378WR6B*	747115428922	.378 WBY. MAG.	$3,800	RH 26"	9 LBS.	46 ⅜"	3+1	26" #3	1-12"	13 ⅜"	7/8"	5/8"	1 ¾"
MDGM416WR6B*	747115428946	.416 WBY. MAG.	$3,800	RH 26"	9 LBS.	46 ⅜"	3+1	26" #3	1-14"	13 ⅜"	7/8"	5/8"	1 ¾"
MDGM460WR6B*	747115428977	.460 WBY. MAG.	$4,000	RH 26"	9.5 LBS.	46 ⅜"	3+1	26" #4	1-16"	13 ⅜"	7/8"	5/8"	1 ¾"

MARK V® DELUXE

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MDXS240WR4O	747115428526	.240 WBY.	$2,700	RH 24"	6.75 LBS.	44"	5+1	24" #1	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MDXM257WR6O	747115428397	.257 WBY. MAG.	$2,700	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MDXS65CMR4O	747115433803	6.5 CREEDMOOR	$2,700	RH 24"	6.75 LBS.	44"	4+1	24" #1	1-8"	13 ½"	7/8"	3/8"	1 ⅜"
MDXM653WR6O	747115430994	6.5-300 WBY. MAG.	$2,700	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-8"	13 ½"	7/8"	3/8"	1 ⅜"
MDXS270NR4O	747115428533	.270 WIN.	$2,700	RH 24"	6.75 LBS.	44"	5+1	24" #1	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MDXM270WR6O	747115428410	.270 WBY. MAG.	$2,700	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MDXM7MMWR6O	747115428434	7MM WBY. MAG.	$2,700	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-9.5"	13 ½"	7/8"	3/8"	1 ⅜"
MDXS308NR4O	747115428557	.308 WIN.	$2,700	RH 24"	6.75 LBS.	44"	5+1	24" #1	1-12"	13 ½"	7/8"	3/8"	1 ⅜"
MDXS306SR4O	747115428540	.30-06 SPRG.	$2,700	RH 24"	6.75 LBS.	44"	5+1	24" #1	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MDXM300WR6O	747115428458	.300 WBY. MAG.	$2,700	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MDXM340WR6O	747115428472	.340 WBY. MAG.	$2,700	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MDXM378WR8B*	747115428496	.378 WBY. MAG.	$3,100	RH 28"	9 LBS.	48 ¾"	2+1	28" #3	1-12"	13 ½"	7/8"	3/8"	1 ⅜"
MDXM416WR8B*	747115428502	.416 WBY. MAG.	$3,100	RH 28"	9 LBS.	48 ¾"	2+1	28" #3	1-14"	13 ½"	7/8"	3/8"	1 ⅜"
MDXM460WR8B*	747115428519	.460 WBY. MAG.	$3,600	RH 28"	10 LBS.	48 ¾"	2+1	28" #4	1-16"	14"	7/8"	3/8"	1 ⅜"

MARK V® FIRST LITE

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MFLM257WR6O	747115436378	.257 WBY. MAG.	$2,600	RH 26"	8.25 LBS.	46 ⅝"	3+1	26" #3	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"
MFLS65CMR4O	747115436385	6.5 CREEDMOOR	$2,600	RH 24"	7.25 LBS.	44"	4+1	24" #3	1-8"	13 ⅝"	7/8"	5/8"	1 ¾"
MFLM653WR8B*	747115436392	6.5-300 WBY. MAG.	$2,600	RH 26"	8.25 LBS.	46 ⅝"	3+1	26" #3	1-8"	13 ⅝"	7/8"	5/8"	1 ¾"
MFLM270WR6O	747115436408	.270 WBY. MAG.	$2,600	RH 26"	8.25 LBS.	46 ⅝"	3+1	26" #3	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"
MFLM300WR6O	747115436415	.300 WBY. MAG.	$2,600	RH 26"	8.25 LBS.	46 ⅝"	3+1	26" #3	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"

MARK V® FIRST LITE RC

MFLM257WRR6O	747115436866	.257 WBY. MAG.	$3,100	RH 26"	8.25 LBS.	46 ⅝"	3+1	26" #3	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"
MFLS65CMRR4O	747115436873	6.5 CREEDMOOR	$3,100	RH 24"	7.25 LBS.	44"	4+1	24" #3	1-8"	13 ⅝"	7/8"	5/8"	1 ¾"
MFLM653WRR6O	747115436880	6.5-300 WBY. MAG.	$3,100	RH 26"	8.25 LBS.	46 ⅝"	3+1	26" #3	1-8"	13 ⅝"	7/8"	5/8"	1 ¾"
MFLM270WRR6O	747115436897	.270 WBY. MAG.	$3,100	RH 26"	8.25 LBS.	46 ⅝"	3+1	26" #3	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"
MFLM300WRR6O	747115436903	.300 WBY. MAG.	$3,100	RH 26"	8.25 LBS.	46 ⅝"	3+1	26" #3	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"

MARK V® KCR (KRIEGER CUSTOM RIFLE)

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MKCM257WR8B*	747115433711	.257 WBY. MAG.	$3,600	RH 28"	8.5 LBS.	48 ⅝"	3+1	28" #3	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MKCM653WR8B*	747115433728	6.5-300 WBY. MAG.	$3,600	RH 28"	8.5 LBS.	48 ⅝"	3+1	28" #3	1-8"	13 ⅜"	7/8"	5/8"	1 ⅜"
MKCM300WR8B*	747115433735	.300 WBY. MAG.	$3,600	RH 28"	8.5 LBS.	48 ⅝"	3+1	28" #3	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MKCM303WR8B*	747115433742	.30-378 WBY MAG.	$3,600	RH 28"	8.5 LBS.	48 ⅝"	2+1	28" #3	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"

MARK V® KCR RC

MKRM257WR8B*	747115433971	.257 WBY. MAG.	$4,100	RH 28"	8.5 LBS.	48 ⅝"	3+1	28" #3	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MKRM653WR8B*	747115433988	6.5-300 WBY. MAG.	$4,100	RH 28"	8.5 LBS.	48 ⅝"	3+1	28" #3	1-8"	13 ⅜"	7/8"	5/8"	1 ⅜"
MKRM300WR8B*	747115433995	.300 WBY. MAG.	$4,100	RH 28"	8.5 LBS.	48 ⅝"	3+1	28" #3	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MKRM303WR8B*	747115434008	.30-378 WBY MAG.	$4,100	RH 28"	8.5 LBS.	48 ⅝"	2+1	28" #3	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"

MARK V® LAZERMARK

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MLMM257WR6O	747115428984	.257 WBY. MAG	$2,800	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MLMM270WR6O	747115429004	.270 WBY. MAG.	$2,800	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MLMM300WR6O	747115429042	.300 WBY. MAG.	$2,800	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MLMM653WR6O	747115436248	6.5-300 WBY. MAG.	$2,800	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"

MARK V® OUTFITTER™ FDE

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MODS240WR4O	747115433612	.240 WBY. MAG.	$2,600	RH 24"	5.75 LBS.	44"	5+1	24" #1 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MODM257WR6O	747115433629	.257 WBY. MAG.	$2,600	RH 26"	6.75 LBS.	46 ⅜"	3+1	26" #2 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MODS65CMR2O	747115433636	6.5 CREEDMOOR	$2,600	RH 22"	5.75 LBS.	42"	4+1	22" #1 MOD	1-8"	13 ⅜"	7/8"	5/8"	1 ⅜"
MODM653WR8B*	747115433643	6.5-300 WBY. MAG.	$2,800	RH 28"	6.75 LBS.	48 ⅜"	3+1	28" #2 MOD	1-8"	13 ⅜"	7/8"	5/8"	1 ⅜"
MODS270NR2O	747115433650	.270 WIN.	$2,600	RH 22"	5.75 LBS.	42"	5+1	22" #1 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MODM270WR6O	747115433667	.270 WBY. MAG.	$2,600	RH 26"	6.75 LBS.	46 ⅜"	3+1	26" #2 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MODM7MMWR6O	747115433674	7MM WBY. MAG.	$2,600	RH 26"	6.75 LBS.	46 ⅜"	3+1	26" #2 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MODS308NR2O	747115433681	.308 WIN.	$2,600	RH 22"	5.75 LBS.	42"	5+1	22" #1 MOD	1-12"	13 ⅜"	7/8"	5/8"	1 ⅜"
MODS306SR2O	747115433698	.30-06 SPRG.	$2,600	RH 22"	5.75 LBS.	42"	5+1	22" #1 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MODM300WR8B*	747115433704	.300 WBY. MAG.	$2,800	RH 28"	6.75 LBS.	48 ⅜"	3+1	28" #2 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"

MARK V® OUTFITTER™ FDE RC

MORM257WR6O	747115434084	.257 WBY. MAG.	$3,100	RH 26"	6.75 LBS.	46 ⅜"	3+1	26" #2 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MORS65CMR2O	747115434091	6.5 CREEDMOOR	$3,100	RH 22"	5.75 LBS.	42"	4+1	22" #1 MOD	1-8"	13 ⅜"	7/8"	5/8"	1 ⅜"
MORM653WR8B*	747115434107	6.5-300 WBY. MAG.	$3,300	RH 28"	6.75 LBS.	48 ⅜"	3+1	28" #2 MOD	1-8"	13 ⅜"	7/8"	5/8"	1 ⅜"
MORM270WR6O	747115434114	.270 WBY. MAG.	$3,100	RH 26"	6.75 LBS.	46 ⅜"	3+1	26" #2 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MORM7MMWR6O	747115434121	7MM WBY. MAG.	$3,100	RH 26"	6.75 LBS.	46 ⅜"	3+1	26" #2 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MORM300WR8B*	747115434138	.300 WBY. MAG.	$3,300	RH 28"	6.75 LBS.	48 ⅜"	3+1	28" #2 MOD	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"

MARK V® SAFARI

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MSFM257WR6O	747115428700	.257 WBY. MAG.	$6,900	RH 26"	8.75 LBS.	46 ¾"	3+1	26" #2	1-10"	13 ¾"	11/16"	13/32	1"
MSFM270WR6O	747115428717	.270 WBY. MAG.	$6,900	RH 26"	8.75 LBS.	46 ¾"	3+1	26" #2	1-10"	13 ¾"	11/16"	13/32	1"
MSFM7MMWR6O	747115428724	7MM WBY. MAG.	$6,900	RH 26"	8.75 LBS.	46 ¾"	3+1	26" #2	1-10"	13 ¾"	11/16"	13/32	1"
MSFM300WR6O	747115428731	.300 WBY. MAG.	$6,900	RH 26"	8.75 LBS.	46 ¾"	3+1	26" #2	1-10"	13 ¾"	11/16"	13/32	1"
MSFM340WR6O	747115428748	.340 WBY. MAG.	$6,900	RH 26"	8.75 LBS.	46 ¾"	3+1	26" #2	1-10"	13 ¾"	11/16"	13/32	1"
MSFM375HR4O	747115428755	.375 H&H	$6,900	RH 24"	9 LBS.	44 ¾"	3+1	24" #3	1-12"	13 ¾"	11/16"	13/32	1"
MSFM375WR4O	747115428762	.375 WBY. MAG.	$6,900	RH 24"	9 LBS.	44 ¾"	3+1	24" #3	1-12"	13 ¾"	11/16"	13/32	1"
MSFM378WR8B*	747115428779	.378 WBY. MAG.	$7,200	RH 28"	9.25 LBS.	48 ¾"	2+1	28" #3	1-12"	13 ¾"	11/16"	13/32	1"
MSFM416WR8B*	747115428786	.416 WBY. MAG.	$7,200	RH 28"	9.25 LBS.	48 ¾"	2+1	28" #3	1-14"	13 ¾"	11/16"	13/32	1"
MSFM460WR8B*	747115428816	.460 WBY. MAG.	$7,300	RH 28"	10 LBS.	48 ¾"	2+1	28" #4	1-16"	13 ¾"	11/16"	13/32	1"

MARK V® SPORTER

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MSPM257WR6O	747115428564	.257 WBY. MAG.	$1,800	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MSPM270WR6O	747115428588	.270 WBY. MAG.	$1,800	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MSPM7MMWR6O	747115428625	7MM WBY. MAG.	$1,800	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MSPM300NR4O	747115428649	.300 WIN. MAG.	$1,800	RH 24"	8 LBS.	44 ⅝"	3+1	24" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"
MSPM300WR6O	747115428663	.300 WBY. MAG.	$1,800	RH 26"	8 LBS.	46 ⅝"	3+1	26" #2	1-10"	13 ½"	7/8"	3/8"	1 ⅜"

MARK V® SUBALPINE

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MSAM257WR6O	747115436323	.257 WBY. MAG.	$2,700	RH 26"	6.75 LBS.	46 ⅝"	3+1	26" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"
MSAS65CMR2O	747115436330	6.5 CREEDMOOR	$2,700	RH 22"	5.75 LBS.	42"	4+1	22" #1 MOD	1-8"	13 ⅝"	7/8"	5/8"	1 ¾"
MSAM653WR8B*	747115436347	6.5-300 WBY. MAG.	$2,900	RH 28"	6.75 LBS.	48 ⅝"	3+1	28" #2 MOD	1-8"	13 ⅝"	7/8"	5/8"	1 ¾"
MSAM270WR6O	747115436354	.270 WBY. MAG.	$2,700	RH 26"	6.75 LBS.	46 ⅝"	3+1	26" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"
MSAM300WR8B*	747115436361	.300 WBY. MAG.	$2,900	RH 28"	6.75 LBS.	48 ⅝"	3+1	28" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"

MARK V® SUBALPINE RC

MSAM257WRR6O	747115436811	.257 WBY. MAG.	$3,200	RH 26"	6.75 LBS.	46 ⅝"	3+1	26" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"
MSAS65CMRR2O	747115436828	6.5 CREEDMOOR	$3,200	RH 22"	5.75 LBS.	42"	4+1	22" #1 MOD	1-8"	13 ⅝"	7/8"	5/8"	1 ¾"
MSAM653WRR8B*	747115436835	6.5-300 WBY. MAG.	$3,400	RH 28"	6.75 LBS.	48 ⅝"	3+1	28" #2 MOD	1-8"	13 ⅝"	7/8"	5/8"	1 ¾"
MSAM270WRR6O	747115436842	.270 WBY. MAG.	$3,200	RH 26"	6.75 LBS.	46 ⅝"	3+1	26" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"
MSAM300WRR8B*	747115436859	.300 WBY. MAG.	$3,400	RH 28"	6.75 LBS.	48 ⅝"	3+1	28" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ¾"

MARK V® TACMARK

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MTCM653WR8B*	747115429615	6.5-300 WBY. MAG.	$4,100	RH 28"	11.25 LBS.	48" - 49 ⅛"	6+1 DBM**	28" #3	1-8"	13 ¼"-14 ¾"	ADJUST.	N/A	N/A
MTCM300WR8B*	747115429561	.300 WBY. MAG.	$4,100	RH 28"	11.25 LBS.	48" - 49 ⅛"	6+1 DBM**	28" #3	1-10"	13 ¼"-14 ¾"	ADJUST.	N/A	N/A
MTCM303WR8B*	747115429578	.30-378 WBY. MAG.	$4,100	RH 28"	11.25 LBS.	48" - 49 ⅛"	5+1 DBM**	28" #3	1-10"	13 ¼"-14 ¾"	ADJUST.	N/A	N/A
MTCM338LR8B*	747115429592	.338 LAPUA MAG.	$4,100	RH 28"	11.25 LBS.	48" - 49 ⅛"	5+1 DBM**	28" #3	1-9.3"	13 ¼"-14 ¾"	ADJUST.	N/A	N/A
MTCM333WR8B*	747115429585	.338-378 WBY. MAG.	$4,100	RH 28"	11.25 LBS.	48" - 49 ⅛"	5+1 DBM**	28" #3	1-10"	13 ¼"-14 ¾"	ADJUST.	N/A	N/A

**Drop Box Magazine

MARK V® TACMARK ELITE

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MTRM653WR8B*	747115433827	6.5-300 WBY. MAG.	$6,200	RH 28"	11.25 LBS.	48" - 49 ½"	6+1 DBM**	28" #3	1-8"	13 ¼"-14 ¾"	ADJUST.	N/A	N/A
MTRM300WR8B*	747115429493	.300 WBY. MAG.	$6,200	RH 28"	11.25 LBS.	48" - 49 ½"	6+1 DBM**	28" #3	1-10"	13 ¼"-14 ¾"	ADJUST.	N/A	N/A
MTRM303WR8B*	747115429509	.30-378 WBY. MAG.	$6,200	RH 28"	11.75 LBS.	48" - 49 ½"	5+1 DBM**	28" #3	1-10"	13 ¼"-14 ¾"	ADJUST.	N/A	N/A
MTRM338LR8B*	747115429523	.338 LAPUA MAG.	$6,200	RH 28"	11.75 LBS.	48" - 49 ½"	5+1 DBM**	28" #3	1-9.3"	13 ¼"-14 ¾"	ADJUST.	N/A	N/A
MTRM333WR8B*	747115429516	.338-378 WBY. MAG.	$6,200	RH 28"	11.75 LBS.	48" - 49 ½"	5+1 DBM**	28" #3	1-10"	13 ¼"-14 ¾"	ADJUST.	N/A	N/A

**Drop Box Magazine

MARK V® ULTRA LIGHTWEIGHT

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MUTS240WR4O	747115428335	.240 WBY. MAG.	$2,300	RH 24"	5.75 LBS.	44"	5+1	24" #1 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTM257WR6O	747115428205	.257 WBY. MAG.	$2,300	RH 26"	6.75 LBS.	46 ⅝"	3+1	26" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTM257WL6O	747115428311	(LH).257 WBY. M	$2,400	LH 26"	6.75 LBS.	46 ⅝"	3+1	26" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTS65CMR2O	747115430987	6.5 CREEDMOOR	$2,300	RH 22"	5.75 LBS.	42"	4+1	22" #1 MOD	1-8"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTM653WR8B*	747115428380	6.5-300 WBY. MAG.	$2,400	RH 28"	6.75 LBS.	48 ⅝"	3+1	28" #2 MOD	1-8"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTM653WL8B*	747115434145	(LH) 6.5-300 WBY. M	$2,500	LH 28"	6.75 LBS.	48 ⅝"	3+1	28" #2 MOD	1-8"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTS270NR2O	747115428342	.270 WIN.	$2,300	RH 22"	5.75 LBS.	42"	5+1	22" #1 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTM270WR6O	747115428229	.270 WBY. MAG.	$2,300	RH 26"	6.75 LBS.	46 ⅝"	3+1	26" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTM7MMRR4O	747115428243	7MM REM. MAG.	$2,300	RH 24"	6.75 LBS.	44 ⅝"	3+1	24" #2 MOD	1-9.5"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTM7MMWR6O	747115428267	7MM WBY. MAG.	$2,300	RH 26"	6.75 LBS.	46 ⅝"	3+1	26" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTS308NR2O	747115428366	.308 WIN.	$2,300	RH 22"	5.75 LBS.	42"	5+1	22" #1 MOD	1-12"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTS306SR2O	747115428359	.30-06 SPRG.	$2,300	RH 22"	5.75 LBS.	42"	5+1	22" #1 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTM300NR4O	747115428281	.300 WIN. MAG.	$2,300	RH 24"	6.75 LBS.	44 ⅝"	3+1	24" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTM300WR8B*	747115428304	.300 WBY. MAG.	$2,400	RH 28"	6.75 LBS.	48 ⅝"	3+1	28" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ⅜"
MUTM300WL8B*	747115428328	(LH).300 WBY. M	$2,500	LH 28"	6.75 LBS.	48 ⅝"	3+1	28" #2 MOD	1-10"	13 ⅝"	7/8"	5/8"	1 ⅜"

MARK V® WEATHERMARK™

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
MWMS240WR4O	747115427253	.240 WBY. MAG.	$1,700	RH 24"	6.25 LBS.	44"	5+1	24" #1	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMM257WR6O	747115427154	.257 WBY. MAG.	$1,700	RH 26"	7.75 LBS.	46 ⅜"	3+1	26" #2	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMS65CMR4O	747115433810	6.5 CREEDMOOR	$1,700	RH 24"	6.25 LBS.	44"	4+1	24" #1	1-8"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMM653WR6O	747115431007	6.5-300 WBY. MAG.	$1,700	RH 26"	7.75 LBS.	46 ⅜"	3+1	26" #2	1-8"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMS270NR4O	747115427260	.270 WIN.	$1,700	RH 24"	6.25 LBS.	44"	5+1	24" #1	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMM270WR6O	747115427161	.270 WBY. MAG.	$1,700	RH 26"	7.75 LBS.	46 ⅜"	3+1	26" #2	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMM7MMRR4O	747115427239	7MM REM. MAG.	$1,700	RH 24"	7.75 LBS.	44 ⅜"	3+1	24" #2	1-9.5"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMS308NR4O	747115427284	.308 WIN.	$1,700	RH 24"	6.25 LBS.	44"	5+1	24" #1	1-12"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMS306SR4O	747115427277	.30-06 SPRG.	$1,700	RH 24"	6.25 LBS.	44"	5+1	24" #1	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMM300NR4O	747115427178	.300 WIN. MAG.	$1,700	RH 24"	7.75 LBS.	44 ⅜"	3+1	24" #2	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMM300WR6O	747115427185	.300 WBY. MAG.	$1,700	RH 26"	7.75 LBS.	46 ⅜"	3+1	26" #2	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMM340WR6O	747115427215	.340 WBY. MAG.	$1,700	RH 26"	7.75 LBS.	46 ⅜"	3+1	26" #2	1-10"	13 ⅜"	7/8"	5/8"	1 ⅜"
MWMM375HR4O	747115427222	.375 H&H MAG.	$1,700	RH 24"	8 LBS.	44 ⅜"	3+1	24" #3	1-12"	13 ⅜"	7/8"	5/8"	1 ⅜"

VANGUARD® ACCUGUARD™

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VCC240WR4O	747115424955	.240 WBY.	$1,099	RH 24"	8 LBS.	44 ½"	5+1	24" #3	1-10"	13 ⅜"	3/4"	5/8"	1 ¾"
VCC257WR6O	747115431069	.257 WBY. MAG.	$1,099	RH 26"	8 LBS.	46 ½"	3+1	26" #3	1-10"	13 ⅜"	3/4"	5/8"	1 ¾"
VCC653WR6O	747115431090	6.5-300 WBY. MAG.	$1,099	RH 26"	8 LBS.	46 ½"	3+1	26" #3	1-8"	13 ⅜"	3/4"	5/8"	1 ¾"
VCC306SR4O	747115427307	30-06 SPRG.	$1,099	RH 24"	8 LBS.	44 ½"	5+1	24" #3	1-10"	13 ⅜"	3/4"	5/8"	1 ¾"
VCC300NR6O	747115431076	.300 WIN. MAG.	$1,099	RH 26"	8 LBS.	46 ½"	3+1	26" #3	1-10"	13 ⅜"	3/4"	5/8"	1 ¾"
VCC300WR6O	747115431083	.300 WBY. MAG.	$1,099	RH 26"	8 LBS.	46 ½"	3+1	26" #3	1-10"	13 ⅜"	3/4"	5/8"	1 ¾"

VANGUARD BACKCOUNTRY™

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VBK240WR4O	747115423125	.240 WBY. MAG.	$1,199	RH 24"	6.75 LBS	44 ½"	5+1	24" #2	1-10"	13 ⅜"	7/8"	3/4"	1 ¾"
VBK257WR6O	747115431366	.257 WBY. MAG.	$1,199	RH 26"	6.75 LBS	46 ½"	3+1	26" #2	1-10"	13 ⅜"	7/8"	3/4"	1 ¾"
VBK65CMR4O	747115436071	6.5 CREEDMOOR	$1,199	RH 24"	6.75 LBS	44 ½"	5+1	24" #2	1-10"	13 ⅜"	7/8"	3/4"	1 ¾"
VBK270NR4O	747115423149	.270 WIN.	$1,199	RH 24"	6.75 LBS	44 ½"	5+1	24" #2	1-10"	13 ⅜"	7/8"	3/4"	1 ¾"
VBK300NR6O	747115431373	.300 WIN. MAG.	$1,199	RH 26"	6.75 LBS	46 ½"	3+1	26" #2	1-10"	13 ⅜"	7/8"	3/4"	1 ¾"
VBK300WR6O	747115431380	.300 WBY. MAG.	$1,199	RH 26"	6.75 LBS	46 ½"	3+1	26" #2	1-10"	13 ⅜"	7/8"	3/4"	1 ¾"
VBK306SR4O	747115423156	.30-06 SPRG.	$1,199	RH 24"	6.75 LBS	44 ½"	5+1	24" #2	1-10"	13 ⅜"	7/8"	3/4"	1 ¾"

VANGUARD® BADLANDS

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VAP256RR4O	747115436439	.256 REM	$849	RH 24"	7.5 LBS.	44 ½"	4+1	24" #2	1-8"	13 ½"	3/4"	1/2"	1 ¼"
VAP257WR6O	747115436446	.257 WBY. MAG.	$849	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VAP653WR6O	747115436514	6.5-300 WBY MAG.	$849	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-8"	13 ½"	3/4"	1/2"	1 ¼"
VAP65CMR4O	747115436521	6.5 CREEDMOOR	$849	RH 24"	7.5 LBS.	44 ½"	4+1	24" #2	1-8"	13 ½"	3/4"	1/2"	1 ¼"
VAP270NR4O	747115436453	.270 WIN.	$849	RH 24"	7.25 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VAP7M8RR4O	747115436538	7MM-08 REM.	$849	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
VAP7MMRR6O	747115436545	7MM REM. MAG.	$849	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
VAP300NR6O	747115436460	.300 WIN. MAG.	$849	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VAP300WR6O	747115436477	.300 WBY. MAG	$849	RH 26"	7.5 LBS.	46 ½"	53+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VAP306SR4O	747115436484	.30-06 SPRG.	$849	RH 24"	7.25 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VAP308NR4O	747115436491	.308 WIN.	$849	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"

VANGUARD® CAMILLA™

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VWR243NR0O	747115427376	.243 WIN.	$849	RH 20"	6.5 LBS.	39 ½"	5+1	20" #1	1-10"	13"	7/8"	3/4"	2 ¼"
VWR65CMR0O	747115431557	6.5 CREEDMOOR	$849	RH 20"	6.5 LBS.	39 ½"	4+1	20" #1	1-8"	13"	7/8"	3/4"	2 ¼"
VWR7M8RR0O	747115427390	7MM-08 REM.	$849	RH 20"	6.5 LBS.	39 ½"	5+1	20" #1	1-9.5"	13"	7/8"	3/4"	2 ¼"
VWR308NR0O	747115427383	.308 WIN.	$849	RH 20"	6.5 LBS.	39 ½"	5+1	20" #1	1-10"	13"	7/8"	3/4"	2 ¼"

VANGUARD® DANGEROUS GAME RIFLE (DGR)

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VGR375HR4OS	747115430123	.375 H&H	$1,299	RH 24"	7.75 LBS.	44 ½"	3+1	24" #2.5	1-12"	13 ⅝"	3/4"	5/8"	1 ⅝"

VANGUARD® DELUXE

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VGX270NR4O	747115414192	.270 WIN.	$1,149	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ⅝"	3/4"	3/8"	1 ¼"
VGX257WR6O	747115431298	.257 WBY. MAG.	$1,149	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ⅝"	3/4"	3/8"	1 ¼"
VGX306SR4O	747115595372	30-06 SPRG.	$1,149	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ⅝"	3/4"	3/8"	1 ¼"
VGX300WR6O	747115431311	.300 WBY. MAG.	$1,149	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ⅝"	3/4"	3/8"	1 ¼"

VANGUARD® FIRST LITE

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VFN240WR6B*	747115434763	.240 WBY. MAG.	$1,099	RH 26"	7.25 LBS.	46 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VFN256RR6B*	747115434770	.25-06 REM. MAG.	$1,099	RH 26"	7.25 LBS.	46 ½"	5+1	22" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VFN257WR8B*	747115434787	.257 WBY. MAG.	$1,099	RH 28"	7.15 LBS.	48 ½"	3+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VFN65CMR6B*	747115435753	6.5 CREEDMOOR	$1,099	RH 26"	7.25 LBS.	46"	4+1	26" #2	1-8"	13 ½"	3/4"	1/2"	1 ¼"
VFN653WR8B*	747115434794	6.5-300 WBY MAG.	$1,099	RH 28"	7.15 LBS.	48 ½"	3+1	24" #2	1-8"	13 ½"	3/4"	1/2"	1 ¼"
VFN270NR6B*	747115434800	.270 WIN.	$1,099	RH 26"	7.25 LBS.	46 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VFN300NR8B*	747115434831	.300 WIN. MAG.	$1,099	RH 28"	7.15 LBS.	48 ½"	3+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VFN300WR8B*	747115434848	.300 WBY. MAG	$1,099	RH 28"	7.15 LBS.	48 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VFN306SR6B*	747115434824	.30-06 SPRG.	$1,099	RH 26"	7.25 LBS.	46 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VFN308NR6B*	747115434817	.308 WIN.	$1,099	RH 26"	7.25 LBS.	46"	5+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"

VANGUARD® LAZERGUARD

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VGZ257WR6O	747115431236	.257 WBY. MAG.	$1,199	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VGZ270NR4O	747115436101	.270 WIN. MAG.	$1,199	RH 24"	7.5 LBS.	44 ½"	3+1	24" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VGZ300NR6O	747115436095	.300 WIN. MAG.	$1,199	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VGZ308NR4O	747115424672	.308 WIN.	$1,199	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VGZ300WR6O	747115431243	.300 WBY. MAG.	$1,199	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VGZ306SR4O	747115420506	30-06 SPRG.	$1,199	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"

VANGUARD® SAFARI

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VSJ300WR4O	747115436040	.300 WBY. MAG.	$1,199	RH 24"	7.5 LBS.	44 ¼"	3+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VSJ306SR4O	747115433506	.30-06 SPRG.	$1,199	RH 24"	7.5 LBS.	44 ¼"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VSJ375HR4OS	747115432912	.375 H&H	$1,399	RH 24"	7.75 LBS.	44 ¼"	3+1	24" #2.5	1-12"	13 ½"	3/4"	1/2"	1 ¼"

VANGUARD® SELECT

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VSE243NR4O	747115426720	.243 WIN.	$599	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VSE65CMR4O	747115436132	6.5 CREEDMOOR	$599	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-8"	13 ½"	3/4"	1/2"	1 ¼"
VSE270NR4O	747115426737	.270 WIN.	$599	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VSE7MMRR6O	747115431175	7MM REM. MAG.	$599	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
VSE300NR6O	747115431182	.300 WIN. MAG.	$599	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VSE308NR4O	747115426751	.308 WIN.	$599	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VSE306SR4O	747115426744	.30-06 SPRG.	$599	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"

VANGUARD® SPORTER

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VDT223RR4O	747115421039	.223 REM.	$849	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-9"	13 ⅜"	3/4"	3/8"	1 ¼"
VDT257WR6O	747115431250	.257 WBY. MAG.	$849	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VDT222RR4O	747115421022	.22-250 REM.	$849	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-14"	13 ⅜"	3/4"	3/8"	1 ¼"
VDT7MMRR6O	747115431281	7MM REM. MAG.	$849	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-9.5"	13 ⅜"	3/4"	3/8"	1 ¼"
VDT243NR4O	747115421046	.243 WIN.	$849	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VDT300NR6O	747115431267	.300 WIN. MAG.	$849	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VDT256RR4O	747115420445	.25-06 REM.	$849	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VDTD256RR4O	747115427635	.25-06 REM.	$849	RH 24"	7.25 LBS.	44 ½"	DBM** 3+1	24" #2	1-10"	13 ⅜"	3/4"	3/4"	1 ¼"
VDT300WR6O	747115431274	.300 WBY. MAG.	$849	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VDT270NR4O	747115420452	.270 WIN.	$849	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VDTD270NR4O	747115427642	.270 WIN.	$849	RH 24"	7.25 LBS.	44 ½"	DBM** 3+1	24" #2	1-10"	13 ⅜"	3/4"	3/4"	1 ¼"
VDT7M8RR4O	747115421060	7MM-08 REM.	$849	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-9.5"	13 ⅜"	3/4"	3/8"	1 ¼"
VDT308NR4O	747115421053	.308 WIN.	$849	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VDT306SR4O	747115420469	.30-06 SPRG.	$849	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ⅜"	3/4"	3/8"	1 ¼"
VDTD306SR4O	747115427659	.30-06 SPRG.	$849	RH 24"	7.25 LBS.	44 ½"	DBM** 3+1	24" #2	1-10"	13 ⅜"	3/4"	3/4"	1 ¼"

**Drop Box Magazine

VANGUARD® STAINLESS SYNTHETIC

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VGS243NR4O	747115431199	.243 WIN.	$799	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGS257WR6O	747115408306	.257 WBY. MAG.	$799	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGS7MMRR6O	747115431229	7MM REM. MAG.	$799	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
VGS270NR4O	747115408405	.270 WIN.	$799	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGS300NR6O	747115431205	.300 WIN. MAG.	$799	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGS308NR4O	747115408313	.308 WIN.	$799	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGS300WR6O	747115431212	.300 WBY. MAG.	$799	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGS306SR4O	747115408412	30-06 SPRG.	$799	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"

VANGUARD® SYNTHETIC

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VGT223RR4O	747115420308	.223 REM.	$649	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-9"	13 ½"	3/4"	1/2"	1 ¼"
VGT222RR4O	747115420292	.22-250 REM.	$649	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-14"	13 ½"	3/4"	1/2"	1 ¼"
VGT243NR4O	747115420315	.243 WIN.	$649	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGT240WR4O	747115420827	.240 WBY. MAG.	$649	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGTD240WR4O	747115427666	.240 WBY. MAG.	$649	RH 24"	7.25 LBS.	44 ½"	DBM 3+1**	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGT256RR4O	747115420322	.25-06 REM.	$649	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGTD256RR4O	747115427673	.25-06 REM.	$649	RH 24"	7.25 LBS.	44 ½"	DBM 3+1**	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGT257WR6O	747115431014	.257 WBY. MAG.	$649	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGT65CMR4O	747115424009	6.5 CREEDMOOR	$649	RH 24"	7.5 LBS.	44"	4+1	24" #2	1-8"	13 ½"	3/4"	1/2"	1 ¼"
VGT653WR6O	747115431045	6.5-300 WBY. MAG.	$649	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-8"	13 ½"	3/4"	1/2"	1 ¼"
VGT270NR4O	747115420346	.270 WIN.	$649	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGTD270NR4O	747115427680	.270 WIN.	$649	RH 24"	7.25 LBS.	44 ½"	DBM 3+1**	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGT7M8RR4O	747115420421	7MM-08 REM.	$649	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
VGT7MMRR6O	747115431052	7MM REM. MAG.	$649	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
VGT308NR4O	747115420407	.308 WIN.	$649	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGT306SR4O	747115420391	.30-06 SPRG.	$649	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGTD306SR4O	747115427697	.30-06 SPRG.	$649	RH 24"	7.25 LBS.	44 ½"	DBM 3+1**	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGT300NR6O	747115431021	.300 WIN. MAG.	$649	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGT300WR6O	747115431038	.300 WBY. MAG.	$649	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VGT375HR4OS	747115425754	.375 H&H	$799	RH 24"	8 LBS.	44 ½"	3+1	24" #2.5	1-12"	13 ½"	3/4"	1/2"	1 ¼"

**Drop Box Magazine

VANGUARD® SYNTHETIC COMPACT

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VYT243NR0O	747115420902	.243 WIN.	$599	RH 20"	6.5 LBS.	39" - 40"	5+1	20" #1	1-10"	12 ½" - 13 ⅜"	3/4"	5/8"	1 ¾" - 1 ⅞"
VYT65CMR0O	747115431564	6.5 CREEDMOOR	$599	RH 20"	6.5 LBS.	39" - 40"	4+1	20" #1	1-8"	12 ½" - 13 ⅜"	3/4"	5/8"	1 ¾" - 1 ⅞"
VYT7M8RR0O	747115420926	7MM-08 REM.	$599	RH 20"	6.5 LBS.	39" - 40"	5+1	20" #1	1-9.5"	12 ½" - 13 ⅜"	3/4"	5/8"	1 ¾" - 1 ⅞"
VYT308NR0O	747115420919	.308 WIN.	$599	RH 20"	6.5 LBS.	39" - 40"	5+1	20" #1	1-10"	12 ½" - 13 ⅜"	3/4"	5/8"	1 ¾" - 1 ⅞"

VANGUARD® WEATHERGUARD

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VTG223RR4O	747115427413	.223 REM.	$749	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-9"	13 ½"	3/4"	1/2"	1 ¼"
VTG257WR6O	747115431328	.257 WBY. MAG.	$749	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTG222RR4O	747115427406	.22-250 REM.	$749	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-14"	13 ½"	3/4"	1/2"	1 ¼"
VTG7MMRR6O	747115431359	7MM REM. MAG.	$749	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
VTG243NR4O	747115427437	.243 WIN.	$749	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTG300NR6O	747115431335	.300 WIN. MAG.	$749	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTG240WR4O	747115427420	.240 WBY. MAG.	$749	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTGD240WR4O	747115427581	.240 WBY. MAG.	$749	RH 24"	7.25 LBS.	44 ½"	*DBM 3+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTG300WR6O	747115431342	.300 WBY. MAG.	$749	RH 26"	7.5 LBS.	46 ½"	3+1	26" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTG256RR4O	747115427444	.25-06 REM.	$749	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTGD256RR4O	747115427598	.25-06 REM.	$749	RH 24"	7.25 LBS.	44 ½"	*DBM 3+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTG65CMR4O	747115427529	6.5 CREEDMOOR	$749	RH 24"	7.5 LBS.	44"	4+1	24" #2	1-8"	13 ½"	3/4"	1/2"	1 ¼"
VTG270NR4O	747115427468	.270 WIN.	$749	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTGD270NR4O	747115427604	.270 WIN.	$749	RH 24"	7.25 LBS.	44 ½"	*DBM 3+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTG7M8RR4O	747115427536	7MM-08 REM.	$749	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-9.5"	13 ½"	3/4"	1/2"	1 ¼"
VTG308NR4O	747115427505	.308 WIN.	$749	RH 24"	7.5 LBS.	44"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTG306SR4O	747115427499	.30-06 SPRG.	$749	RH 24"	7.5 LBS.	44 ½"	5+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"
VTGD306SR4O	747115427611	.30-06 SPRG.	$749	RH 24"	7.25 LBS.	44 ½"	*DBM 3+1	24" #2	1-10"	13 ½"	3/4"	1/2"	1 ¼"

**Drop Box Magazine

VANGUARD® WILDERNESS

PRODUCT CODE	UPC	CALIBER	MSRP	Barreled Action	Weight	Overall Length	Mag Capacity	Barrel Length & Contour	Twist Rate	Length of Pull	Drop @ Comb	Monte Carlo	Drop @ Heel
VLE240WR4O	747115426980	.240 WBY. MAG.	$999	RH 24"	6.75 LBS	44 ½"	5+1	24" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLED240WR4O	747115427062	.240 WBY. MAG.	$999	RH 24"	6.5 LBS	44 ½"	DBM 3+1**	24" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLE257WR6O	747115431144	.257 WBY. MAG.	$999	RH 26"	6.75 LBS	46 ½"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLE256RR4O	747115426997	.25-06 REM.	$999	RH 24"	6.75 LBS	44 ½"	5+1	24" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLED256RR4O	747115427079	.25-06 REM.	$999	RH 24"	6.5 LBS	44 ½"	DBM 3+1**	24" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLE65CMR4O	747115436149	6.5 CREEDMOOR	$999	RH 24"	6.5 LBS.	44 ½"	3+1	26" #2	1-8"	13 5/8"	7/8"	3/4"	1 ¾"
VLE653WR6O	747115433919	6.5-300 WBY. MAG.	$999	RH 26"	6.75 LBS	46 ½"	3+1	26" #2	1-8"	13 5/8"	7/8"	3/4"	1 ¾"
VLE270NR4O	747115427017	.270 WIN.	$999	RH 24"	6.75 LBS	44 ½"	5+1	24" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLED270NR4O	747115427086	.270 WIN.	$999	RH 24"	6.5 LBS	44 ½"	DBM 3+1**	24" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLE300NR6O	747115431151	.300 WIN. MAG.	$999	RH 26"	6.75 LBS	46 ½"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLE308NR4O	747115427055	.308 WIN.	$999	RH 24"	6.75 LBS	44"	5+1	24" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLE300WR6O	747115431168	.300 WBY. MAG.	$999	RH 26"	6.75 LBS	46 ½"	3+1	26" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLE306SR4O	747115427048	.30-06 SPRG.	$999	RH 24"	6.75 LBS	44 ½"	5+1	24" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"
VLED306SR4O	747115427093	.30-06 SPRG.	$999	RH 24"	6.5 LBS	44 ½"	DBM 3+1**	24" #2	1-10"	13 5/8"	7/8"	3/4"	1 ¾"

**Drop Box Magazine

ORION® I

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Signts	Weight
OR11226RGG	747115425471	12 GAUGE	$949	26"	3"	IC,M,F	N/A	43 ¾"	14 ⅜"	2 ⅜"	1 ⅜"	BRASS FRONT	7 LBS.
OR11228RGG	747115425488	12 GAUGE	$949	28"	3"	IC,M,F	N/A	45 ¾"	14 ⅜"	2 ⅜"	1 ⅜"	BRASS FRONT	7 LBS.

ORION® SPORTING

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Signts	Weight
OSP1230PGG	747115433490	12 GAUGE	$1,099	30"	3"	SK,IC,M,IM,F	N/A	47 3/4"	14 ⅜"	2 ⅜"	1 ⅜" - 1 ¼"	FIBER OPTIC	7.5 LBS.

ELEMENT® SYNTHETIC

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
ESN1226PGM	747115425242	12 GAUGE	$749	26"	3"	IC,M,F,LRS	4+1	46 ¾"	14 ⅜"	2 ¼"	1 ⅜"	FIBER OPTIC FRONT	6.75 LBS.
ESN1228PGM	747115425235	12 GAUGE	$749	28"	3"	IC,M,F,LRS	4+1	48 ¾"	14 ⅜"	2 ¼"	1 ⅜"	FIBER OPTIC FRONT	6.75 LBS.
ESN2026PGM	747115425266	20 GAUGE	$749	26"	3"	IC,M,F	4+1	46 ¾"	14 ⅜"	2 ¼"	1 ⅜"	FIBER OPTIC FRONT	6.25 LBS.
ESN2028PGM	747115425259	20 GAUGE	$749	28"	3"	IC,M,F	4+1	48 ¾"	14 ⅜"	2 ¼"	1 ⅜"	FIBER OPTIC FRONT	6.25 LBS.

ELEMENT® UPLAND

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
EUP1226PGM	747115436927	12 GAUGE	$999	26"	3"	IC, M, F	4+1	46 ¾"	14 ⅝"	2 ¼"	1 ⅝"	FIBER OPTIC FRONT	6.65 LBS.
EUP1228PGM	747115436934	12 GAUGE	$999	28"	3"	IC, M, F	4+1	48 ¾"	14 ⅝"	2 ¼"	1 ⅝"	FIBER OPTIC FRONT	6.75 LBS.
EUP2026PGM	747115436941	20 GAUGE	$999	26"	3"	IC, M, F	4+1	46 ¾"	14 ⅝"	2 ¼"	1 ⅝"	FIBER OPTIC FRONT	6.15 LBS.
EUP2028PGM	747115436958	20 GAUGE	$999	28"	3"	IC, M, F	4+1	48 ¾"	14 ⅝"	2 ¼"	1 ⅝"	FIBER OPTIC FRONT	6.25 LBS.

ELEMENT® WATERFOWLER MAX-5

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
EWF1226PGM	747115425280	12 GAUGE	$849	26"	3"	IC,M,F,LRS	4+1	46 ¾"	14 ⅜"	2 ¼"	1 ⅜"	FIBER OPTIC FRONT	6.75 LBS.
EWF1228PGM	747115425273	12 GAUGE	$849	28"	3"	IC,M,F,LRS	4+1	48 ¾"	14 ⅜"	2 ¼"	1 ⅜"	FIBER OPTIC FRONT	6.75 LBS.
EWF2026PGM	747115429622	20 GAUGE	$849	26"	3"	IC,M,F	4+1	46 ¾"	14 ⅜"	2 ¼"	1 ⅜"	FIBER OPTIC FRONT	6.25 LBS.
EWF2028PGM	747115425297	20 GAUGE	$849	28"	3"	IC,M,F	4+1	48 ¾"	14 ⅜"	2 ¼"	1 ⅜"	FIBER OPTIC FRONT	6.25 LBS.

SA-08® DELUXE

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
SA08D1226PGM	747115419548	12 GAUGE	$849	26"	3"	IC,M,F	5+1	46"	14 ⅜"	2 ¼"	1 ½"	BRASS FRONT	6.75 LBS.
SA08D1228PGM	747115419555	12 GAUGE	$849	28"	3"	IC,M,F	5+1	48"	14 ⅜"	2 ¼"	1 ½"	BRASS FRONT	6.75 LBS.
SA08D2026PGM	747115419524	20 GAUGE	$849	26"	3"	IC,M,F	5+1	46"	14 ⅜"	2 ¼"	1 ½"	BRASS FRONT	6 LBS.
SA08D2028PGM	747115419531	20 GAUGE	$849	28"	3"	IC,M,F	5+1	48"	14 ⅜"	2 ¼"	1 ½"	BRASS FRONT	6 LBS.

SA-08® SYNTHETIC

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
SA08S1226PGM	747115417377	12 GAUGE	$649	26"	3"	IC,M,F	5+1	46"	14 ⅜"	2 ¼"	1 ½"	BRASS FRONT	6.5 LBS.
SA08S1228PGM	747115417384	12 GAUGE	$649	28"	3"	IC,M,F	5+1	48"	14 ⅜"	2 ¼"	1 ½"	BRASS FRONT	6.5 LBS.
SA08S2026PGM	747115417407	20 GAUGE	$649	26"	3"	IC,M,F	5+1	46"	14 ⅜"	2 ¼"	1 ½"	BRASS FRONT	6 LBS.
SA08S2028PGM	747115417414	20 GAUGE	$649	28"	3"	IC,M,F	5+1	48"	14 ⅜"	2 ¼"	1 ½"	BRASS FRONT	6 LBS.

SA-08® SYNTHETIC COMPACT

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
SA08SY2024PGM	747115419098	20 GAUGE	$649	24"	3"	IC,M,F	5+1	43"	12 ½"	2 ¼"	1 ½"	BRASS FRONT	5.75 LBS.

SA-459® TURKEY XTRA GREEN

PRODUCT CODE	UPC	GAUGE	MSRP	Barrel Length	Chamber	Choke	Mag Capacity	Overall Length	LOP	Drop at Heel	Drop at Comb	Sights	Weight
SA459XG1222PGM	747115425785	12 GAUGE	$799	22"	3"	XF	5+1	42"	13 ½"	2 ¼"	N/A	FIBER OPTIC FRONT	6.75 LBS.
SA459XG2022PGM	747115425792	20 GAUGE	$799	22"	3"	XF	5+1	42"	13 ½"	2 ¼"	N/A	FIBER OPTIC FRONT	6.25 LBS.


WEATHERBY
307.675.7800 | weatherby.com